

## Previously Logo'd Motherboard Logo Program (PLMP)

# Intel<sup>®</sup> Desktop Board DH61SA

# **PLMP Report**

1/2/2012

Purpose:

This report describes the DH61SA Previously Logo'd Motherboard Logo Program testing run conducted by Intel Corporation.

#### THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel® Core™ i7 and Intel® are trademarks of Intel Corporation in the U.S. and other countries.

\*Other names and brands may be claimed as the property of others

Copyright ° 2009, Intel Corporation. All rights reserved.

# Contents

| Introduction 4   Terms and Definitions 4   Desktop Board Configuration 5   Desktop Board DH61SA Final Configuration Report: Completion of PLMP 5   Board Information 5   Product Code 5   Processor 5   Motherboard 5   System Memory 5   Power Management 5 |
|--|
| Desktop Board DH61SA Final Configuration Report: Completion of PLMP  |
| Board Information  |
| Product Code   |
| Processor  |
| Motherboard  |
| System Memory5<br>Power Management5  |
| Power Management5  |
|  |
|  |
| Operating System Tested5   |
| Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit  |
| Windows Logo Kits Used (WLK)6  |
| Errata and Contingencies   |
| Test Notes   |

#### Terms and Definitions

| Term                        | Definitions  |  |  |
|-----------------------------|--|--|--|
| WHQL                        | Windows* Hardware Qualification Lab  |  |  |
| WLK                         | Windows Logo Kits  |  |  |
| PLMP                        | Previously Logo'd Motherboard Motherboard Logo Program. For further information see: <u>http://www.microsoft.com/whdc/hwtest/default.mspx</u>                            |  |  |
| AP Machine                  | Audio Precision Machine  |  |  |
| Winqual                     | Windows Qualification  |  |  |
| MSFT Tested<br>Product List | Tested Products List. You can view the Windows Marketplace for tested products list at: <u>http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&amp;cid=105&amp;g=s</u> |  |  |

# **Desktop Board Configuration**

#### Desktop Board DH61SA Final Configuration Report: Completion of PLMP

Data in this section reflects system configuration at time of PLMP submission.

#### **Board Information**

| Product Code <sup>1</sup>         | BIOS String/Model Technologies NOT Logo'd (yet)  |   |  |  |
|-----------------------------------|--|---|--|--|
| DH61SA                            | BEH6110H.86A.0034.2011.1018.1937 N/A - all technologies logo'd                               |   |  |  |
| Processor                         | Processor  |   |  |  |
| Speed                             | 3.30GHz  |   |  |  |
| Family                            | Intel(R) Core(TM) i5-2500K   |   |  |  |
| Bus Speed                         | 4 GB/s (DMI 2.0)   |   |  |  |
| Motherboard                       |  |   |  |  |
| Board AA #                        | AA G38870-300  |   |  |  |
| Board FAB #                       | С  |   |  |  |
|                                   | es to the production FAB revision; Please co<br>ion you intend to perform logo testing if no | onsult your Intel Corporation representative to clarify the other same. |  |  |
| System Memory                     |  |   |  |  |
| Speed                             | Dual Channel, DDR3, 1333MHz  |   |  |  |
| Метогу Туре                       | DIMM   |   |  |  |
| Connector Type                    | DDR3, 240 Pin  |   |  |  |
| Power<br>Management               |  |   |  |  |
| BIOS Default                      | S3   |   |  |  |
| Operating System Tested           |  |   |  |  |
|                                   | Check Tested   | Comments  |  |  |
| Windows 7 and<br>64-bit           |  | Windows 7 Ultimate with Service Pack 1                                  |  |  |
| Windows Vista<br>and 64-bit       |  | Vista Ultimate with Service Pack 2                                      |  |  |
| Windows Vista<br>Basic and 64-bit | Vista Basic with Service Pack 2  |   |  |  |

<sup>&</sup>lt;sup>1</sup> These are the product names to enter in the "Submission ID of previously logo'd qualified PC system or server" field during your "System Using a Previously Logo'd Motherboard" submission to Microsoft.

#### Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit

| Technology   | 6                           | Version   | Package version  |
|--|-----------------------------|---|--|
| <b>Chipset Update Utility</b><br>Intel <sup>®</sup> Chipset Software Utility | Windows7<br>Windows7 64-bit | V 9.2.0.1019<br>V 9.2.0.1019                            | INF_allOS_9.2.0.1019_<br>PV<br>INF_allOS_9.2.0.1019_<br>PV                       |
| <b>Graphics</b><br>Intel(R) HD Graphics Family                               | Windows7<br>Windows7 64-bit | Winglaws Viztz91<br>Windows Vista 152991                | GFX_Vista32_Win7_32<br>8.15.10.2291_PV<br>GFX_Vista64_Win7_64<br>8.15.10.2291_PV |
| <b>Audio</b><br>Realtek High Definition Audio                                | Windows7<br>Windows7 64-bit | Windows Vista 299<br>Windows Vista 299<br>Windows Vista | AUD_Vista_Win7_6.0.1.<br>6299_PV<br>AUD_Vista_Win7_6.0.1.<br>6299_PV             |
| LAN<br>Intel(R) 82579V Gigabit Network<br>Connection                         | Windows7<br>Windows7 64-bit | Windows:Vista64-bit                                     | LAN_allOS_11.8.84.0_P<br>V<br>LAN_allOS_11.8.84.0_P<br>V                         |
| <b>MEI</b><br>Intel(R) Management Engine<br>Interface                        | Windows7<br>Windows7 64-bit | Windows.Vista 644bit                                    | MEI_allOS_7.0.4.1197_<br>PV<br>MEI_allOS_7.0.4.1197_<br>PV                       |

#### Windows Logo Kits Used (WLK)

Microsoft website: <a href="http://www.microsoft.com/whdc/DevTools/WDK/DTM.mspx">http://www.microsoft.com/whdc/DevTools/WDK/DTM.mspx</a>

Please check regularly for test kit updates from Microsoft. Please ensure latest filters updated prior to WHQL run.

| Operating Systems | Notes                    | WHQL Testkit              |  |
|-------------------|--------------------------|---------------------------|--|
| Windows 7         | WLK1.6 for Windows 7 SP1 | WLK1.6 for Windows 7 SP1  |  |
| Windows 7 64-bit  |                          | WERT.0 TOF WINDOWS 7 SF T |  |

## Errata and Contingencies

| Operating System              | Failing Test                                   | Expiry<br>Date | ID<br>Number | Туре    | Error Description   |
|-------------------------------|--|----------------|--------------|---------|---|
| Windows 7<br>Windows 7 64-bit | Class Driver AC3<br>Test - Win7<br>(System)    | 6/30/2025      | 1256         | Erratum | Run AC3 test on a system with the Microsoft HD Audio class<br>driver installed. Expected results: All AC3 kernel streaming data<br>ranges should advertise MinimumBitsPerSample = 16 and<br>MaximumBitsPerSample = 16. Actual results: HD Audio class<br>driver sometimes advertises MaximumBitsPerSample = 24.   |
| Windows 7<br>Windows 7 64-bit | PCI Hardware<br>Compliance Test<br>For Systems | 12/1/2012      | 401          | Erratum | The following PCI Compliance test failure is acceptable: Bit 15<br>(Bridge Configuration Retry Enable) in the Device Control<br>register (offset 8h) in the PCI Express Capability table must be<br>read-only and always return 0 as it is reserved for devices other<br>than PCI Express to PCI/PCI-X Bridges. Assertion 13A41D3E-<br>2576-41DC-A67C-525DA3637CEA This failure is acceptable<br>because this is a PCIe 1.1 feature and the WLP requires<br>compliance with only PCIe 1.0a. |
| Windows 7<br>Windows 7 64-bit | UAA Test - Win7<br>(System)                    | 6/1/2015       | 513          | Erratum | UAA Test requires the Traffic Priority bit to be read/write -<br>however there are two specs that apply, and they conflict. One<br>says the bit must be read/write, the other says it must be read-<br>only. Contact has been made with the author of both specs<br>(Intel) but until this point is clarified we cannot fail submissions<br>containing this test failure.   |

#### **Test Notes**

| Operating System                            | Test             | Description   |  |
|---|------------------|---|--|
| Windows 7                                   | BIOS<br>download | Internal: <u>http://bios.intel.com/downloads/</u><br>External: <u>http://www.intel.com/</u> click on Support and Download   |  |
| Windows 7                                   | BIOS setup       | Please make sure the BIOS setting are as below, otherwise use default<br>settings.<br>System Date and Time: Current date and time<br>Peripheral Configuration: Enable all onboard component<br>Drive Configuration: Set to AHCI<br>Chipset Configuration: Enable HPET<br>ACPI Suspend State: Set to <s3 state=""><br/>Boot Device Priority: set <hard disk="" driver=""> to first</hard></s3> |  |
| Windows 7 filter<br>update                  | WLK WHQL<br>test | http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filte<br>rupdates.cab  |  |
| Special H/W that<br>use to PASS the<br>test | None             | None  |  |