

Previously Logo'd Motherboard Logo Program (PLMP)

Intel® Desktop Board DH67CF

PLMP Report

3/30/2011

Purpose:

This report describes the DH67CF Previously Logo'd Motherboard Logo Program testing run conducted by Intel Corporation.

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel® Core™ i7 and Intel® are trademarks of Intel Corporation in the U.S. and other countries.

 $\ensuremath{^{\star}}\xspace$ Other names and brands may be claimed as the property of others

Copyright ° 2009, Intel Corporation. All rights reserved.

Contents

Introduction	4
Terms and Definitions	
Desktop Board Configuration	5
Desktop Board DH67CF Final Configuration Report: Completion of PLMP	
Board Information	5
Product Code	5
Processor	5
Motherboard	5
System Memory	
Power Management	5
Operating System Tested	
Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit	6
Windows Logo Kits Used (WLK)	6
Errata and Contingencies	
Test Notes	9

Introduction

Terms and Definitions

Term	Definitions			
WHQL	Windows* Hardware Qualification Lab			
WLK	Windows Logo Kits			
PLMP	Previously Logo'd Motherboard Logo Program. For further information see: http://www.microsoft.com/whdc/hwtest/default.mspx			
AP Machine	Audio Precision Machine			
Winqual	Windows Qualification			
MSFT Tested Product List	Tested Products List. You can view the Windows Marketplace for tested products list at: http://winqual.microsoft.com/HCL/ProductList.aspx?m=v&cid=105&g=s			

Desktop Board Configuration

Desktop Board DH67CF Final Configuration Report: Completion of PLMP

Data in this section reflects system configuration at time of PLMP submission.

Board Information

Product Code ¹	BIOS String/Model	Technologies NOT Logo'd (yet)					
DH67CF	BLH6710H.86A.0078.2010.1118.1944	N/A - all technologies logo'd					
Processor	Processor						
Speed	3.40GHz						
Family	Intel Core i7 CPU 2600						
Bus Speed	100 MHz						
Motherboard							
Board AA #	AA G10215-200						
Board FAB #	В						
	es to the production FAB revision; Please co ion you intend to perform logo testing if no	onsult your Intel Corporation representative to clarify the of the same.					
System Memory							
Speed	Dual Channel, DDR3, 1333MHz						
Memory Type	DIMM						
Connector Type	DDR3, 240 Pin						
Power Management							
BIOS Default	BIOS Default S3						
Operating System	Operating System Tested						
	Check Tested	Comments					
Windows 7 and 64-bit		Windows 7 Ultimate					
Windows Vista and 64-bit		Vista Ultimate with Service Pack 2					
Windows Vista Basic and 64-bit	□ Vista Basic with Service Pack 2						

¹ These are the product names to enter in the "Submission ID of previously logo'd qualified PC system or server" field during your "System Using a Previously Logo'd Motherboard" submission to Microsoft.

Onboard Integrated Devices and Driver for Windows 7 32-bit and 64-bit

Technology	OS	Version	Package version	
Chipset Update Utility	Windows 7	V9.2.0.1015	INF_allOS_9.2.0.1015_ PV	
Intel [®] Chipset Software Utility	Windows 7 64-bit	V9.2.0.1015	INF_allOS_9.2.0.1015_ PV	
Graphics	Windows 7	V8.15.10.2238	GFX_Vista32_Win7_32 _8.15.10.2238_PV	
Intel® HD Graphics Family	Windows 7 64-bit	V8.15.10.2238	GFX_Vista64_Win7_64 _8.15.10.2238_PV	
			_0.13.10.2230_1 0	
Audio	Windows 7	V6.0.1.6236	AUD_Vista_Win7_6.0.1. 6236_PV	
Realtek High Definition Audio	Windows 7 64-bit	V6.0.1.6236	AUD_Vista_Win7_6.0.1. 6236_PV	
LAN	Windows 7	V11.8.81.0	LAN_allOS_11.8.81.0_P V11.8.74/.0	LAN_
Intel® 82579V Gigabit Network Connection	Windows 7 64-bit	V11.8.81.0	LA N 1411 9 .57410.8.81.0_P	LAN_
			u u	
MEI	Windows 7	V7.0.0.1118	MEI_allOS_7.0.1.1141_ PV	MEI_
Intel [®] Management Engine Interface	Windows 7 64-bit	V7.0.0.1118	MEI_allOS_7.0.1.1141_ PV	MEI_
CIR	Windows 7	V2.2.2010.714	CIR_Win7_2.2.2010.07 14_PV	
Nuvoton W836x 7HG CIR Device Driver	Windows 7 64-bit	V2.2.2010.714	CIR_Win7_2.2.2010.07 14_PV	

Windows Logo Kits Used (WLK)

 $\label{lem:microsoft.com/whdc/DevTools/WDK/DTM.mspx} \begin{subarray}{ll} Microsoft website: $$\underline{$http://www.microsoft.com/whdc/DevTools/WDK/DTM.mspx}$ \end{subarray}$

Please check regularly for test kit updates from Microsoft. Please ensure latest filters updated prior to WHQL run.

Operating Systems	Notes	WHQL Testkit
Windows 7	WLK1.5 for Windows 7	WLK1.5 for Windows 7
Windows 7 64-bit		

Errata and Contingencies

Operating System	Failing Test	Expiry Date	ID Number	Туре	Error Description
Windows 7 Windows 7 64-bit	Class Driver AC3 Test - Win7 (System)	6/30/2025	1256	Erratum	Run AC3 test on a system with the Microsoft HD Audio class driver installed. Expected results: All AC3 kernel streaming data ranges should advertise MinimumBitsPerSample = 16 and MaximumBitsPerSample = 16. Actual results: HD Audio class driver sometimes advertises MaximumBitsPerSample = 24.
Windows 7 Windows 7 64-bit	Graphics HDMI System Test (Manual)	6/1/2011	1717	Erratum	GraphicsHDMITest: should ignore pin widgets that have "Port Connectivity" set to "No Physical Connection"
Windows 7 Windows 7 64-bit	Graphics HDMI System Test (Manual)	12/31/2011	1666	Erratum	graphics-hdmi-test-intel-two-of-three
Windows 7 Windows 7 64-bit	Graphics HDMI System Test (Manual)	6/1/2011	1945	Erratum	Failure is due to the ELDv2 Portld not matching the graphics adapter LUID. This cannot be enforced currently. In the future, video drivers will be required to program the ELDv2 Portld with either, The AdapterLUID for the corresponding display adapter - OR- 0
Windows 7 Windows 7 64-bit	PCI Hardware Compliance Test For Systems	6/1/2011	401	Erratum	The following PCI Compliance test failure is acceptable: Bit 15 (Bridge Configuration Retry Enable) in the Device Control register (offset 8h) in the PCI Express Capability table must be read-only and always return 0 as it is reserved for devices other than PCI Express to PCI/PCI-X Bridges. Assertion 13A41D3E-2576-41DC-A67C-525DA3637CEA This failure is acceptable because this is a PCIe 1.1 feature and the WLP requires compliance with only PCIe 1.0a.
Windows 7 Windows 7 64-bit	PCI Hardware Compliance Test For Systems	6/1/2011	923	Erratum	Assertion FAE18121-9177-4FB2-A081-0D04C285EFF2 Bit range 15:0 (Extended Capability ID)in the Enhanced Capability Header register (offset 0h) in the Unrecognized Enhanced Capability ID 13 table is Dh. It must be in the range [0x0 - 0xB] as all other Capability IDs are reserved.
Windows 7 Windows 7 64-bit	PCI Hardware Compliance Test For Systems	12/1/2012	1241	Erratum	This happens because the PCI Compliance test assumes that if the Data Link Layer Link Active Reporting Capable bit in the Link Capabilities register for a given PCIe port is set then that indicates that the Data Link Layer Link Active bit will also be set. This is an incorrect assumption because the Data Link Link Layer Link Active bit can be reset when there is no device below the port. This assertion needs to be removed from the PCIHCT. The current architecture of the PCIHCT prevents it from knowing whether devices exist below a bridge/port.

Operating System	Failing Test	Expiry Date	ID Number	Туре	Error Description
Windows 7 Windows 7 64-bit	UAA Test - Win7 (System)	6/1/2011	1300	Erratum	HD Audio pin configuration document calls out setting Port Connectivity to No Connection as the way to turn a pin off in a particular system. UAA Test incorrectly tests such pins.
Windows 7 Windows 7 64-bit	UAA Test - Win7 (System)	6/1/2015	513	Erratum	UAA Test requires the Traffic Priority bit to be read/write - however there are two specs that apply, and they conflict. One says the bit must be read/write, the other says it must be read-only. Contact has been made with the author of both specs (Intel) but until this point is clarified we cannot fail submissions containing this test failure.
Windows 7 Windows 7 64-bit	UAA Test - Win7 (System)	2/28/2011	1299	Erratum	Preview filter - Jack Detect Override on digital pin widgets Errata 1299 The HD Audio configuration default register (7.3.3.3.1 in the HD Audio specification) includes a "Jack Detect Override" flag that can be used to indicate that although a pin widget would normally be capable of jack detection, there is something about this particular system that causes this to be impossible. This was intended to be used, for example, for analog pin widgets that are connected to RCA jacks, which do not allow for impedance detection. Some digital pin widgets are using the Presence Detect pin sense response to indicate that a digital handshake has occured - indeed, HDMI pins have entire DCNs built around this concept, and it applies equally well to S/PDIF pins. A digital converter that supports presence detection should be able to do so in any system, so the "Jack Detect Override" concept should not apply to digital pins.
Windows 7 Windows 7 64-bit	UAA Test - Win7 (System)	12/31/2011	1666	Erratum	graphics-hdmi-test-intel-two-of-three

Test Notes

Operating System	Test	Description
Windows 7 and Vista	BIOS download	Internal: http://bios.intel.com/downloads/ External: http://www.intel.com/ click on Support and Download
Windows 7 and Vista	BIOS setup	Please make sure the BIOS setting are as below, otherwise use default settings. System Date and Time: Current date and time Peripheral Configuration: Enable all onboard component (Except CIR) Drive Configuration: Set to AHCI Chipset Configuration: Enable HPET ACPI Suspend State: Set to <s3 state=""> Boot Device Priority: set <hard disk="" driver=""> to first Note: Enhanced Consumer IR (CIR) component is not supported under Windows7.</hard></s3>
Windows 7 and Vista filter update	WLK WHQL test	http://winqual.microsoft.com/member/SubmissionWizard/LegalExemptions/filterupdates.cab
Special H/W that use to PASS the test	None	None