



Intel® Server Board S2600WP Family
Intel® Server System H2000WP Family
Intel® Compute Module HNS2600WP Family
Intel® Server Chassis H2000 Family
Spares/Accessories List and Configuration Guide

A reference guide to assist customers in ordering the necessary components to configure the Intel® Server Board S2600WP and the appropriate 2U Intel® Rack Mount Server Systems



Revision 1.4

October 2012

Enterprise Platforms and Services Marketing

Revision History

October 2011 – Rev 0.90 – Production Candidate

October 2011 – Rev 0.96 – Production Candidate 2

February 2012 – Rev 1.0 – Production Candidate 3

May 2012 – Rev 1.2 – Production Version

July 2012 – Rev 1.3 – Adding note in section 2.4

October 2012 – Rev 1.4 – Adding AXX10GBTWLHW and Intel® Server Continuity Suit SKUs

Disclaimer

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL®'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL® ASSUMES NO LIABILITY WHATSOEVER, AND INTEL® DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL® PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.

Intel® products are not intended for use in medical, life-saving, life-sustaining applications. Intel® may make changes to specifications and product descriptions at any time, without notice.

Intel® server boards, server chassis, and processors may contain design defects or errors known as errata, which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Intel, Intel Xeon, Pentium, and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

*Other names and brands may be claimed as the property of others.

Copyright © 2012, Intel Corporation

Table of Contents:

1. SYSTEM PRODUCT ORDER CODES.....	4
1.1 PRODUCT DESCRIPTION – OVERVIEW.....	4
1.2 SUMMARY CHART	4
1.3 AVAILABLE PRODUCTION BOARD ORDER CODES	6
1.5 AVAILABLE PRODUCTION SYSTEM ORDER CODES	7
1.6 AVAILABLE PRODUCTION CHASSIS ORDER CODES	9
1.8 AVAILABLE PRODUCTION COMPUTE MODULE ORDER CODES	11
2. SPARES AND ACCESSORIES ORDER CODES.....	12
2.1 GENERAL SPARES AND ACCESSORIES.....	12
2.2 DYNAMIC KEY SPARES AND ACCESSORIES.....	17
2.4 6GB/S SAS & HW RAID:.....	18
2.5 EXPANSION MODULES: IO MODULE.....	20
2.6 SERVICE: ON-SITE REPAIR, EXTENDED WARRANTY.....	22
2.7 INTEL® SERVER CONTINUITY SUIT SKUs.....	23
2.8 VMWARE* PRODUCT DESCRIPTIONS – OVERVIEW.....	24
2.9 VMWARE VSPHERE* AND VCENTER* SERVER SKUs.....	24
2.9.1 VMware vSphere* and vCenter* Server Editions.....	24
2.9.3 VMware vSphere* and VMware vCenter* – Order Codes:.....	25

1. System Product Order Codes

1.1 Product Description – Overview

Product based on the Intel® Server Board S2600WP will be offered in a variety of options to provide flexibility and facility for the customer.

BIK will be offered as an integrated systems at launch, including drive carriers, InfiniBand*, and power supplies configuration.

Board will be offered as a 10-pack at launch.

Chassis will be offered as KDK at launch. It will include power supply, but Compute Module will be excluded.

Compute Module can be ordered separately for both single-pack and 10-pack.

1.2 Summary chart

For a quick overview, all configuration options are summarized in the below chart. Refer to the details below in this document for MM numbers, configuration details, and product order codes.

EPSD Romley Chassis and Systems shipped to the US and Canada will contain North American power cords. North American customers no longer need to order SKUs ending in “NA” to receive power cords on Romley products.

BIK:

Pcode	FF	HDD	# of HDD	Power supply	Rails	Compute Module	Available Time
H2312WPJR	2U	3.5	12		2 x 1200W AC	Value	4 x HNS2600WP
H2312WPQJR	2U	3.5	12		2 x 1200W AC	Value	4 x HNS2600WPQ
H2312WPFJR	2U	3.5	12		2 x 1200W AC	Value	4 x HNS2600WPF
H2216WPJR	2U	2.5		16	2 x 1200W AC	Value	4 x HNS2600WP
H2216WPQJR	2U	2.5		16	2 x 1200W AC	Value	4 x HNS2600WPQ
H2216WPFJR	2U	2.5		16	2 x 1200W AC	Value	4 x HNS2600WPF
H2312WPKR	2U	3.5	12		2 x 1600W AC	Value	4 x HNS2600WP
H2312WPQKR	2U	3.5	12		2 x 1600W AC	Value	4 x HNS2600WPQ
H2312WPFKR	2U	3.5	12		2 x 1600W AC	Value	4 x HNS2600WPF
H2216WPKR	2U	2.5		16	2 x 1600W AC	Value	4 x HNS2600WP
H2216WPQKR	2U	2.5		16	2 x 1600W AC	Value	4 x HNS2600WPQ
H2216WPFKR	2U	2.5		16	2 x 1600W AC	Value	4 x HNS2600WPF

KDK:

Pcode	FF	HDD	# of HDD		Power supply	Rails	Compute Module	Available Time
H2312XXJR	2U	3.5	12		2x1200W AC	Value	Not included	Non TTM
H2216XXJR	2U	2.5		16	2x1200W AC	Value	Not included	Non TTM
H2312XXKR	2U	3.5	12		2x1600W AC	Value	Not included	Non TTM
H2216XXKR	2U	2.5		16	2x1600W AC	Value	Not included	Non TTM




Compute Module:

Pcode	FF	Integrated InfiniBand*	rIOM riser / carrier	RMM4 Lite Key	Intel® RAID C600 Upgrade Key	Available Time
HNS2600WP	1U Compute Module	No	Not included	Not included	Not included	Launched
HNS2600WPQ	1U Compute Module	Yes (QDR 40Gb/s)	Not included	Not included	Not included	Launched
HNS2600WPF	1U Compute Module	Yes (FDR 56Gb/s)	Not included	Not included	Not included	Launched

Board:

Pcode	FF	Integrated InfiniBand*	rIOM riser / carrier	RMM4 Lite Key	Intel® RAID C600 Upgrade Key	Available Time
BBS2600WP	6.8" W x 18.9" L	No	Not included	Not included	Not included	Launched
BBS2600WPQ	6.8" W x 18.9" L	Yes (QDR 40Gb/s)	Not included	Not included	Not included	Launched
BBS2600WPF	6.8" W x 18.9" L	Yes (FDR 56Gb/s)	Not included	Not included	Not included	Launched

1.3 Available Production Board order codes

Image	Product Code MM UPC EAN MOQ	Description
	<p>BBS2600WP</p> <p>919026</p> <p>735858243506</p> <p>5032037038140</p> <p>10</p>	<p>Production Intel® Server Board S2600WP (OEM 10-pack version)</p> <ul style="list-style-type: none"> - 6.8" W x 18.9" L. - 16x DIMMs support DDR3/DDR3L LR/U/R-DIMMs. - 4x 3Gb/s SATA/SAS ports from SCU, 2x 6Gb/s SATA DOM ports from AHCI. - 3 PCIe3 x16 capable slots and 1 PCIe3 x24 capable slot (not PCIe Sig compatible). - Dual 1GbE. - Compatible with Intel® Xeon® processor E5-2600 series.
 <p>*Depop board shown</p>	<p>BBS2600WPQ</p> <p>919027</p> <p>735858243513</p> <p>5032037038157</p> <p>10</p>	<p>Production Intel® Server Board S2600WPQ (OEM 10-pack version)</p> <ul style="list-style-type: none"> - 6.8" W x 18.9" L. - 16x DIMMs support DDR3/DDR3L LR/U/R-DIMMs. - 4x 3Gb/s SATA/SAS ports from SCU, 2x 6Gb/s SATA DOM ports from AHCI. - 4 PCIe3 x16 capable slots (not PCIe Sig compatible). - Dual 1GbE. - Single InfiniBand* QDR (QSFP port). - Compatible with Intel® Xeon® processor E5-2600 series.
 <p>*Depop board shown</p>	<p>BBS2600WPF</p> <p>921313</p> <p>735858246293</p> <p>5032037040785</p> <p>10</p>	<p>Production Intel® Server Board S2600WPF (OEM 10-pack version)</p> <ul style="list-style-type: none"> - 6.8" W x 18.9" L. - 16x DIMMs support DDR3/DDR3L LR/U/R-DIMMs. - 4x 3Gb/s SATA/SAS ports from SCU, 2x 6Gb/s SATA DOM ports from AHCI. - 4 PCIe3 x16 capable slots (not PCIe Sig compatible). - Dual 1GbE. - Single InfiniBand* FDR (QSFP port). - Compatible with Intel® Xeon® processor E5-2600 series.

1.5 Available Production System order codes

Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	<p>H2312WPJR 919016 735858243582 5032037038225 1</p>	<p>The Production Intel® Server System H2312WPJR</p> <ul style="list-style-type: none"> - 2U H2312XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WP Compute Module. <p>Note: There are no additional EPSD components required to make this system functional.</p>
 <p>*Demo Only</p>	<p>H2312WPQJR 919017 735858243605 5032037038249 1</p>	<p>The Production Intel® Server System H2312WPQJR</p> <ul style="list-style-type: none"> - 2U H2312XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPQ Compute Module (InfiniBand* QDR). <p>Note: There are no additional EPSD components required to make this system functional.</p>
 <p>*Demo Only</p>	<p>H2312WPFJR 921315 735858246408 5032037040891 1</p>	<p>The Production Intel® Server System H2312WPFJR</p> <ul style="list-style-type: none"> - 2U H2312XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPF Compute Module (InfiniBand* FDR). <p>Note: There are no additional EPSD components required to make this system functional.</p>
 <p>*Demo Only</p>	<p>H2216WPJR 919018 735858243544 5032037038188 1</p>	<p>The Production Intel® Server System H2216WPJR</p> <ul style="list-style-type: none"> - 2U H2216XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WP Compute Module. <p>Note: There are no additional EPSD components required to make this system functional.</p>
 <p>*Demo Only</p>	<p>H2216WPQJR 919019 735858243568 5032037038201 1</p>	<p>The Production Intel® Server System H2216WPQJR</p> <ul style="list-style-type: none"> - 2U H2216XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPQ Compute Module (InfiniBand* QDR). <p>Note: There are no additional EPSD components required to make this system functional.</p>







Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo Only</p>	H2216WPFJR 921316 735858246415 5032037040907 1	The Production Intel® Server System H2216WPFJR - 2U H2216XXJR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPF Compute Module (InfiniBand* FDR). Note: There are no additional EPSD components required to make this system functional.
 <p>*Demo Only</p>	H2312WPKR 923037 735858249973 5032037044554 1	The Production Intel® Server System H2312WPKR - 2U H2312XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WP Compute Module. Note: There are no additional EPSD components required to make this system functional.
 <p>*Demo Only</p>	H2312WPQKR 923038 735858249980 5032037044561 1	The Production Intel® Server System H2312WPQKR - 2U H2312XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPQ Compute Module (InfiniBand* QDR). Note: There are no additional EPSD components required to make this system functional.
 <p>*Demo Only</p>	H2312WPFKR 921317 735858250009 5032037044585 1	The Production Intel® Server System H2312WPFKR - 2U H2312XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPF Compute Module (InfiniBand* FDR). Note: There are no additional EPSD components required to make this system functional.
 <p>*Demo Only</p>	H2216WPKR 923040 735858249959 5032037044530 1	The Production Intel® Server System H2216WPKR - 2U H2216XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WP Compute Module. Note: There are no additional EPSD components required to make this system functional.

Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo Only</p>	H2216WPQKR 923042 735858249997 5032037044578 1	The Production Intel® Server System H2216WPQKR - 2U H2216XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPQ Compute Module (InfiniBand* QDR). Note: There are no additional EPSD components required to make this system functional.
 <p>*Demo Only</p>	H2216WPFKR 921318 735858249966 5032037044547 1	The Production Intel® Server System H2216WPFKR - 2U H2216XXKR Chassis (Blank Node Filler FH2000BNF excluded). - 4x HNS2600WPF Compute Module (InfiniBand* FDR). Note: There are no additional EPSD components required to make this system functional.

1.6 Available Production Chassis order codes








Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	H2312XXJR 919020 735858243285 5032037037921 1	The Production Intel® Server Chassis H2312XXJR - 2U H2000 Chassis (front panel FH2000FPANEL included, Power Distribution Board FXXCRPSPDB included). - 2x 1200W Platinum PSU (FXX1200PCRPS). - 12x 3.5" Hot-swap HDDs support (carriers FXX35HSADPB included, backplane FHW12X35HSBP). - 4x Blank Node Filler (FH2000BNF). - Basic rack rail (AXXELVRAIL).
 <p>*Demo only</p>	H2216XXJR 919021 735858243278 5032037037914 1	The Production Intel® Server Chassis H2216XXJR - 2U H2000 Chassis (front panel FH2000FPANEL included, Power Distribution Board FXXCRPSPDB included). - 2x 1200W Platinum PSU (FXX1200PCRPS). - 16x 2.5" Hot-swap HDDs support (carriers FXX25HSCAR included, backplane FHW16X25HSBP). - 4x Blank Node Filler (FH2000BNF). - Basic rack rail (AXXELVRAIL).

Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	<p>H2312XXKR 919022 735858243292 5032037037938 1</p>	<p>The Production Intel® Server Chassis H2312XXKR</p> <ul style="list-style-type: none"> - 2U H2000 Chassis (front panel FH2000FPANEL included, Power Distribution Board FXXCRPSPDB included). - 2x 1600W Platinum PSU (FXX1600PCRPS). - 12x 3.5" Hot-swap HDDs support (carriers FXX35HSADPB included, backplane FHW12X35HSBP). - 4x Blank Node Filler (FH2000BNF). - Basic rack rail (AXXELVRAIL).
 <p>*Demo only</p>	<p>H2216XXKR 919023 735858243308 5032037037945 1</p>	<p>The Production Intel® Server Chassis H2216XXKR</p> <ul style="list-style-type: none"> - 2U H2000 Chassis (front panel FH2000FPANEL included, Power Distribution Board FXXCRPSPDB included). - 2x 1600W Platinum PSU (FXX1600PCRPS). - 16x 2.5" Hot-swap HDDs support (carriers FXX25HSCAR included, backplane FHW16X25HSBP). - 4x Blank Node Filler (FH2000BNF). - Basic rack rail (AXXELVRAIL).

1.8 Available Production Compute Module order codes

Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	<p>HNS2600WP 918378 735858243629 5032037038263 1</p>	<p>The Production Intel® Compute Module HNS2600WP</p> <ul style="list-style-type: none"> - Intel® Server Board S2600WP included. - Node Power Board FH2000NPB included. - Bridge Board FHWJFWPBGB included. - Slot1 riser card FHW1U16RISER included. - 3x 4056 dual rotor fans FXX4056DRFAN included. - 1U passive heatsinks (one FXXEA84X106HS for front, and one FXXCA84X106HS for rear) included - Airduct included. - 1U node tray included.
 <p>*Demo only</p>	<p>HNS2600WPQ 918377 735858243636 5032037038270 1</p>	<p>The Production Intel® Compute Module HNS2600WPQ</p> <ul style="list-style-type: none"> - Intel® Server Board S2600WPQ included (InfiniBand* QDR). - Node Power Board FH2000NPB included. - Bridge Board FHWJFWPBGB included. - Slot1 riser card FHW1U16RISER included. - 3x 4056 dual rotor fans FXX4056DRFAN included. - 1U passive heatsinks (one FXXEA84X106HS for front, and one FXXCA84X106HS for rear) included - Airduct included. - 1U node tray included.
 <p>*Demo only</p>	<p>HNS2600WPF 921314 735858247948 5032037042826 1</p>	<p>The Production Intel® Compute Module HNS2600WPF</p> <ul style="list-style-type: none"> - Intel® Server Board S2600WPF included (InfiniBand* FDR). - Node Power Board FH2000NPB included. - Bridge Board FHWJFWPBGB included. - Slot1 riser card FHW1U16RISER included. - 3x 4056 dual rotor fans FXX4056DRFAN included. - 1U passive heatsinks (one FXXEA84X106HS for front, and one FXXCA84X106HS for rear) included - Airduct included. - 1U node tray included.

2. Spares and Accessories Order Codes

2.1 General spares and accessories





Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	AXXRMM4LITE 911660 00735858219297 5032037014946 1	Activation key for advanced management features.
 <p>*Demo only</p>	AXXRMM4IOMW 918304 735858243247 5032037037884 1	PCI Express x24 (200 pin) rIOM riser and rIOM carrier board kit for supporting dedicate RMM4 NIC port and containing Intel® I/O module for HNS2600WP compute module family. Note: The AXXRMM4LITE is NOT included. It must be ordered separately for advanced management features. Intel® I/O modules MUST have AXXRMM4IOMW pre-installed. The production system and chassis configurations do not include AXXRMM4IOMW.
 <p>*Demo only</p>	FHW1U16RISER 916729 735858223003 5032037019286 10	1U PCI Express x16 riser card for supporting in-board low-profile PCIe adding card of Slot1 on HNS2600JF, HNS2600WP, and HNS2400LP compute module family
 <p>*Demo only</p>	FXX4056DRFAN 918254 735858243469 5032037038102 10	40x56mm Dual Rotor Fan spare

Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	FXX1200PCRPS 915605 735858225137 5032037035071 1	1200W AC Common Redundant Power Supply FXX1200PCRPS 80Plus Platinum-Efficiency
 <p>*Demo only</p>	FXX1600PCRPS 915606 735858243650 5032037038294 1	1600W AC Common Redundant Power Supply FXX1600PCRPS 80Plus Platinum-Efficiency Note: Available in Q3 '12.
 <p>*Demo only</p>	FXXCA84X106HS 918318 735858236676 5032037031448 2	1U Standard Cu/Al 84mm x 106mm Heatsink (Rear Heatsink)
 <p>*Demo only</p>	FXXE84X106HS 918321 735858236683 5032037031455 2	1U Standard Ex-Al 84mm x 106mm Heatsink (Front Heatsink)
 <p>*Demo only</p>	FHW12X35HSBP 920830 735858246729 5032037041188 1	Spare 12 x 3.5" backplane for H2000 Chassis family

Image	Product Code MM UPC EAN MOQ	Description
 <p data-bbox="285 520 412 548">*Demo only</p>	<p data-bbox="647 247 837 275">FHW16X25HSBP</p> <p data-bbox="703 308 782 336">920829</p> <p data-bbox="662 369 823 396">735858246736</p> <p data-bbox="654 430 831 457">5032037041195</p> <p data-bbox="735 491 750 518">1</p>	<p data-bbox="898 380 1455 407">Spare 16 x 2.5" backplane for H2000 Chassis family</p>
 <p data-bbox="285 842 412 869">*Demo only</p>	<p data-bbox="675 569 810 596">FH2000BNF</p> <p data-bbox="703 630 782 657">920831</p> <p data-bbox="662 690 823 718">735858246880</p> <p data-bbox="654 751 831 779">5032037041881</p> <p data-bbox="735 812 750 840">10</p>	<p data-bbox="898 701 1425 728">Spare Blank Node Filler for H2000 Chassis family</p>
 <p data-bbox="285 1157 412 1184">*Demo only</p>	<p data-bbox="675 890 810 917">FH2000NPB</p> <p data-bbox="703 951 782 978">920832</p> <p data-bbox="662 1012 823 1039">735858246743</p> <p data-bbox="654 1073 831 1100">5032037041201</p> <p data-bbox="735 1134 750 1161">10</p>	<p data-bbox="898 1020 1445 1047">Spare Node Power Board for H2000 Chassis family</p>
 <p data-bbox="285 1472 412 1499">*Demo only</p>	<p data-bbox="654 1209 831 1236">FHWJFWPBGB</p> <p data-bbox="703 1270 782 1297">920833</p> <p data-bbox="662 1331 823 1358">735858246767</p> <p data-bbox="654 1392 831 1419">5032037041225</p> <p data-bbox="735 1453 750 1480">10</p>	<p data-bbox="898 1329 1495 1381">Spare Bridge Board for H2000JF and H2000WP System family</p>
 <p data-bbox="285 1795 412 1822">*Demo only</p>	<p data-bbox="662 1528 831 1556">FXXCRPSPDB</p> <p data-bbox="703 1589 782 1617">921250</p> <p data-bbox="662 1650 823 1677">735858246750</p> <p data-bbox="654 1711 831 1738">5032037041218</p> <p data-bbox="735 1772 750 1799">10</p>	<p data-bbox="898 1648 1495 1701">Spare Power Distribution Board for Common Redundant Power Supply 1200W and 1600W of H2000 Chassis</p>







Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	FH2000FPANEL 920835 735858246873 5032037041874 1	Spare front control panel kit for H2000 Chassis family
 <p>*Demo only</p>	FH2000WPMKIT 919033 735858243643 5032037038287 1	Chassis Maintenance Kit FH2000WPMKIT (for Intel® Server System H2000WP family) including (2) Node tray of HNS2600WP, (2) Airduct of HNS2600WP, Cable kit, and Screw kit.
 <p>*Demo only</p>	FXX25HSCAR 918807 735858241182 5032037035910 8	Spare 2.5" HDD hot swap carriers
 <p>*Demo only</p>	FXX35HSADPB 912771 00735858219495 5032037016391 8	Spare 3.5" HDD hot swap carriers
 <p>*Demo only</p>	AXXELVRAIL 920970 00735858244367 5032037038980 1	Value Rail Kit, half extension, extended inner slide member

Image	Product Code MM UPC EAN MOQ	Description
	FPWRCABLENA 879287 735858181129 5032037015738 1	North American Power Cord Spare
 <p data-bbox="285 789 412 814">*Demo only</p>	A2UBEZEL 918086 735858241137 5032037035880 1	2U locking bezel with two branding clip-on inserts

2.2 Dynamic Key spares and accessories

Image	Product Code MM UPC EAN MOQ	Description
 <p data-bbox="285 1125 412 1157">*Demo only</p>	RKSATA4R5 916346 735858238861 5032037033640 5	Intel® RAID C600 Upgrade Key RKSATA4R5, Black
	RKSAS4 916349 735858238892 5032037033671 5	Intel® RAID C600 Upgrade Key RKSAS4, Green
	RKSAS4R5 916350 735858238908 5032037033688 5	Intel® RAID C600 Upgrade Key RKSAS4R5, Yellow

2.4 6Gb/s SAS & HW RAID:







Image	Product Code MM UPC EAN MOQ	Description
 <p>*Demo only</p>	AHWJFWP6GBGB 922862 735858250047 5032037044622 1	6Gb/s SAS bridge board and cable accessories kit (not cable-free) for H2000JF and H2000WP family Note: 6Gb/s SAS module is NOT included. Customer must to order 6Gb/s SAS module RMS25KB040 or RMS25PB040 separately.
 <p>*Demo only</p>	RMS25KB040 917090 735858239035 5032037033817 5	SAS Module: 4 Port SAS-2.1 version, Entry-level HW RAID/straight SAS PCIe form factor
 <p>*Demo only</p>	RMS25PB040 917078 735858238953 5032037033732 5	Intel® Integrated RAID Module RMS25PB040, PCIe Slot, LSI2208 ROC, 4P Internal SAS/SATA, LSI MegaRAID-based Firmware, 1GB DDR3, RAID 0,1,10,5,50,6,60 Requires PClex8 slot
 <p>*Demo only</p>	AH2000WP6GKIT 922864 735858250061 5032037044646 1	6Gb/s SAS accessories kit (cable-free) for H2000WP family Note: 6Gb/s SAS module RMS25LB has been included.
 <p>*Demo only</p>	FH20006GBGBR 922998 735858250214 5032037044776 1	Spare 6Gb/s SAS bridge board and riser package for AH2000JF6GKIT, AH2000WP6GKIT, and AH2000LP6GKIT

Image	Product Code MM UPC EAN MOQ	Description
 <p data-bbox="285 499 412 525">*Demo only</p>	<p data-bbox="688 237 800 262">RMS25LB</p> <p data-bbox="704 300 784 325">922997</p> <p data-bbox="662 359 826 384">735858250085</p> <p data-bbox="656 417 833 443">5032037044660</p> <p data-bbox="737 476 751 501">1</p>	<p data-bbox="898 289 1495 426">Spare 6Gb/s SAS module for AH2000JF6GKIT, AH2000WP6GKIT and AH2000LP6GKIT. It MUST have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>

2.5 Expansion modules: IO Module

IMPORTANT NOTICE:

All below I/O modules MUST have **AXXRMM4IOMW** (mm# 918304) pre-installed in the system.






Image	Product Code MM UPC EAN MOQ	Description
	<p>AXX10GBNIAIOM 917905 735858241090 5032037035842 1</p>	<p>Dual SFP+ port 10GbE IO module based on Intel® 82599 10 Gigabit Ethernet Controller.</p> <p>Supports direct connect or transceiver. Cables/transceivers not included.</p> <p>Includes three screws. It must have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>
 <p>*Dual ports shown</p>	<p>AXX1FDRIBIOM 918607 735858241106 5032037035859 1</p>	<p>Single port, FDR 56GT/S speed Intel® I/O Expansion Infiniband* module, with QSFP connector, based on Mellanox* CX3 MT27504A1-FCCR-FV chip.</p> <p>Includes three screws. *Dual port shown on picture. It must have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>
	<p>AXX2FDRIBIOM 920627 735858245722 5032037040235 1</p>	<p>Dual port, FDR 56GT/S (per port capable) speed Infiniband* module, with QSFP connector, based on Mellanox* CX3 MT27508A1-FCCR-FV chip.</p> <p>Note: Due to PCIe3 x8 bandwidth limitation, both ports cannot function simultaneously at full speed.</p> <p>Includes three screws. It must have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>
	<p>AXX4P1GBPWL IOM 917911 735858241083 5032037035835 1</p>	<p>Quad port 1GbE IO Module based on Intel® Ethernet Controller I350.</p> <p>It must have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>

Image	Product Code MM UPC EAN MOQ	Description
	<p>AXX10GBTWLHW</p> <p>924136</p> <p>735858254038</p> <p>5032037047142</p> <p>1</p>	<p>Dual RJ-45 port 10GBASE-T IO Module based on Intel® Ethernet Controller X540.</p> <p>Includes three screws.</p> <p>It must have AXXRMM4IOMW pre-installed. The default production system and chassis configurations do not include AXXRMM4IOMW.</p>

2.6 Service: On-site Repair, Extended Warranty

Image	Product Code MM MOQ	Description
	SVCORHWSY TBD 1	Intel® Server System H2000 On-Site Repair, Next Business Day
	SVCEWHWSY TBD 1	Intel® Server System H2000 Extended Warranty, Single
	SVCEWHWB TBD 1	Intel® Compute Module HNS2000 Extended Warranty, Single
	SVCEWDPBD 911294 1	Two year extended warranty for Intel® Server Boards that support two processors.

2.7 Intel® Server Continuity Suit SKUs

Product Code	MM UPC	Description	Minimum Order Quantity
SCSSTSMGR	912851	Intel® Server Continuity Suit System Manager includes Dashboard, Hardware Management, RAID Management, and reporting. Includes one year of free maintenance upgrades.	1
SCSBACKUP	912852	Intel® Server Continuity Suit Data Protection Manager includes Basic CDP backup, file level consistency, 24 hour restore points. Note: Requires Intel® SCS System Manager.	1
SCSADVBACKUP	914444	Intel® Server Continuity Suit Advanced Data Protection Manager includes advanced CDP backup, file and APP consistency, recovery to any point in time, predictive failure backup. Note: Requires Intel® SCS System Manager.	1

The Intel® Server Continuity Suite System Manager which is required for all other purchases comes with one year of free maintenance.

The Intel® Server Continuity Suite software can be downloaded from the following location. It is free to be downloaded and installed with a 60 day trial period.

http://downloadcenter.intel.com/Detail_Desc.aspx?agr=Y&DwnldID=20736

For the rescue CD (needed when doing a full system restore) go to:

http://downloadcenter.intel.com/Detail_Desc.aspx?agr=Y&DwnldID=20737

Customers will need to purchase the software SKUs above. An electronic key will be automatically sent to the customer's registered email address(s) in the EPSD registration website within 8 hours. If the customer is not registered in the EPSD registration site, the EPSD service specialist will attempt to contact the customer to send the keys and create the account. Note that customers can supply as many email addresses to have the keys sent to as they would like but these addresses will be used for every order.

Customers should then either forward the registration keys to the reseller, or print and mail the keys to the reseller.

The reseller will need to login to the following site: <http://prd1warser.cps.intel.com/> with their Intel® account. The account must be active but no specific permissions are required to gain access. After logging in to the site, they will enter a baseboard serial # and the registration key. After completing the registration, a license key will be immediately returned. The reseller can enter this license key into the software to unlock the features. They can also go back at any point to retrieve this key. A limited number of transfers will be allowed per reseller to handle board replacements.

For more information about Intel® Server Continuity Suite, refer product home page at

<http://www.intel.com/content/www/us/en/server-management/intel-server-continuity-suite.html>

2.8 VMware* Product Descriptions – Overview

VMware vSphere* software is available as an accessory when ordering an Intel® Server Board or Intel® Server System. **Customers can only order these SKUs at the time they are ordering an Intel® Server Board or Intel® Server System.** These SKUs cannot be ordered individually.

Licensing per Processor with vRAM entitlements: VMware vSphere* 5 is licensed on a per-processor basis with a vRAM entitlement. Each VMware vSphere* 5 processor license comes with an entitlement to a certain amount of vRAM capacity, or memory configured to virtual machines. For more information, VMware*'s licensing whitepaper can be found at <http://www.vmware.com/products/vsphere/overview.html>.

2.9 VMware vSphere* and vCenter* Server SKUs

Each VMware vSphere* SKU contains a paper certificate with a software product activation code. As directed on the certificate, the end user must register the product activation code with VMware* at <http://www.vmware.com/code/intel> to access VMware* Software, Support, and Subscription Services.

2.9.1 VMware vSphere* and vCenter* Server Editions

All VMware vSphere* SKUs (except Essentials) are bundled with either 1 year VMware* Basic (12x5) or with 1 year VMware* Production (24x7) Support and Subscription. The Essentials SKU is bundled with a one year VMware* Subscription.

Essentials	VMware vSphere* 5 Essentials Bundle for 3 hosts (Max 2 processors per host) and 192 GB vRAM entitlement <ul style="list-style-type: none"> With one year VMware* Subscription.
Essentials Plus	VMware vSphere* 5 Essentials Plus Bundle for 3 hosts (Max 2 processors per host) and 192 GB vRAM entitlement <ul style="list-style-type: none"> With one year VMware* Basic (12x5) Support and Subscription. With one year VMware* Production (24x7) Support and Subscription.
Standard	VMware vSphere* 5 Standard for 1 processor (with 32 GB vRAM entitlement per processor) <ul style="list-style-type: none"> With one year VMware* Basic (12x5) Support and Subscription. With one year VMware* Production (24x7) Support and Subscription.
Enterprise	VMware vSphere* 5 Enterprise for 1 processor (with 64 GB vRAM entitlement per processor) <ul style="list-style-type: none"> With one year VMware* Basic (12x5) Support and Subscription. With one year VMware* Production (24x7) Support and Subscription.
Enterprise Plus	VMware vSphere* 5 Enterprise Plus for 1 processor (with 96 GB vRAM entitlement per processor) <ul style="list-style-type: none"> With one year VMware* Basic (12x5) Support and Subscription. With one year VMware* Production (24x7) Support and Subscription.
VMware vCenter* Server Standard for vSphere 5	VMware vCenter* Server 5 Standard for vSphere 5 (Per Instance). One instance of vCenter Server is required to centrally manage virtual machines and their hosts and to enable all VMware vSphere* features on Standard, Enterprise, and Enterprise Plus editions. <ul style="list-style-type: none"> With one year VMware* Basic (12x5) Support and Subscription. With one year VMware* Production (24x7) Support and Subscription.

2.9.3 VMware vSphere* and VMware vCenter* – Order Codes:

Product Code	UPC	MM	Description	Minimum Order Quantity
VMW5ESS	7 35858 22474 1	918769	Paper certificate containing software license activation code for VMware vSphere* 5 Essentials Bundle for 3 hosts (Max 2 processors per host) and 192 GB vRAM entitlement with 1 year VMware* Subscription.	1
VMW5ESSPLUS	7 35858 22475 8	918774	Paper certificate containing software license activation code VMware vSphere* 5 Essentials Plus Bundle for 3 hosts (Max 2 processors per host) and 192 GB vRAM entitlement with 1 year VMware* Basic (12x5) Support and Subscription.	1
VMW5ESSPLUSP	7 35858 22476 5	918768	Paper certificate containing software license activation code for VMware vSphere* 5 Essentials Plus Bundle for 3 hosts (Max 2 processors per host) and 192 GB vRAM entitlement with 1 year VMware* Production (24x7) Support and Subscription.	1
VMW5STD	7 35858 22477 2	918773	Paper certificate containing software license activation code for VMware vSphere* 5 Standard for 1 processor (with 32 GB vRAM entitlement per processor) with 1 year VMware* Basic (12x5) Support and Subscription.	1
VMW5STDP	7 35858 22478 9	918767	Paper certificate containing software license activation code for VMware vSphere* 5 Standard for 1 processor (with 32 GB vRAM entitlement per processor) with 1 year VMware* Production (24x7) Support and Subscription.	1
VMW5ENT	7 35858 22479 6	918772	Paper certificate containing software license activation code for VMware vSphere* 5 Enterprise for 1 processor (with 64 GB vRAM entitlement per processor) with 1 year VMware* Basic (12x5) Support and Subscription.	1
VMW5ENTP	7 35858 22484 0	918770	Paper certificate containing software license activation code for VMware vSphere* 5 Enterprise for 1 processor (with 64 GB vRAM entitlement per processor) with 1 year VMware* Production (24x7) Support and Subscription.	1
VMW5ENTPLUS	7 35858 22480 2	918771	Paper certificate containing software license activation code for VMware vSphere* 5 Enterprise Plus for 1 processor (with 96 GB vRAM entitlement per processor) with 1 year VMware* Basic (12x5) Support and Subscription.	1
VMW5ENTPLUSP	7 35858 22481 9	918760	Paper certificate containing software license activation code for VMware vSphere* 5 Enterprise Plus for 1 processor (with 96 GB vRAM entitlement per processor) with 1 year VMware* Production (24x7) Support and Subscription.	1

Product Code	UPC	MM	Description	Minimum Order Quantity
VMW5VCSTD	7 35858 22482 6	918742	Paper certificate containing software license activation code for VMware vCenter* Server 5 Standard for vSphere 5 (Per Instance) with 1 year VMware* Basic (12x5) Support and Subscription.	1
VMW5VCSTDP	7 35858 22483 3	918759	Paper certificate containing software license activation code for VMware vCenter* Server 5 Standard for vSphere 5 (Per Instance) with 1 year VMware* Production (24x7) Support and Subscription.	1