

## **Server WHQL Testing Services**

## **Enterprise Platforms and Services Division**

# Intel® Server Board S1200BTL

# **Server Test Submission (STS) Report**

For the Microsoft® Windows® Logo Program (WLP)

**Rev 1.0** 

#### June. 5th, 2012

This report describes the Intel® Server Board S1200BTL Windows\* Logo Program test run conducted by Intel® Enterprise Platforms and Services Division (EPSD).

#### **Purpose of this WLP Submission:**

System First Time submission for the Microsoft\* Designed for Windows\* Logo submission for the Intel® Server Board S1200BTL in RAID configuration.

Windows Server 2008 R2 x64bit, Windows 2008 SP2 x64bit, Windows 2008 SP2 x32bit Submission Logo ID: 1497087 (S1200BTL MB)

Submission Type:	Reason for test run	Check one
First Time Submission	Initial Microsoft Designed for Windows logo submission. New product submission.	
System Update	Hardware update. (For example, update submission test run with new processor speeds.)	
BIOS Update	BIOS and/or Firmware update. (For example, update submission test run with new BIOS to support additional processor speeds.)	
OS Update	OS update. (For example, update submission test run to add Microsoft Designed for Windows Server 2008 logo to product.)	

## **Revision History and Disclaimers**

Revision History			
Revision	Revision Date Comments		
1.0	6/5/2012	Internal draft of the STS Report for Windows Server 2008 R2, Windows 2008 SP2 x64bit, Windows 2008 SP2 x32 bit, Submission for Intel® Server Board S1200BTL configured in RAID mode	

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

\* Other names and brands may be claimed as the property of others.

Copyright © 2009, Intel Corporation. All rights reserved.

# **Contents**

Revision History and Disclaimers	2
Introduction	4
Overview of Contents	
Terms and Definitions	
Server Board Submission Information	5
Intel Server Board Submission Report: Completion of WLP	_
Submission Information	
Submission ID	
Submission Type	
Product Category	
Product Detail	
General Product Information	
Characterization (optional)	
Server Board Configuration Information	6
Processor	
System Memory	6
Power Management	
BIOS	6
Bus Types	7
Integrated Components	7
Onboard Integrated Devices and Drivers	
Product Data for HCL: Completion of WLP	7
Product Data	8
Hardware Compatibility Tests Used	9
Errata and Contingencies	
Submission Readme File	
Testing Exceptions for S1200BTL Windows Server 2008 R2 x64Bit	
Additional Information	11
Testing Exceptions for S1200BTL Windows Server 2008 SP2 x32Bit	
Additional Information	
Testing Exceptions for S1200BTL Windows Server 2008 SP2 x64Bit	12
Additional Information	12
Annendiy A - Submission History	13

# Introduction

This report provides an overview of the testing conducted on the Intel® Server Board S1200BTL by Intel EPSD and provides details about this testing run.

#### **Overview of Contents**

Section	Content	
Introduction	Brief descriptions of the sections in the report. Table listing terms and definitions.	
Server Product Submission Information Submission information, ID # and final server board configuration upon completion of vincluding HW, Driver version, BIOS version, and Board AA number		
DTM	All DTM tests used during testing	
Errata and Contingencies	and Contingencies All Microsoft* errata or contingencies used during testing	

### **Terms and Definitions**

Term	Definitions	
EPSD	Enterprise Platforms and Services Division	
HCL	Windows Hardware Compatibility List. Changed to Windows Server Catalogue. You can view the catalogue at: <a href="http://www.microsoft.com/windows/catalog/server/">http://www.microsoft.com/windows/catalog/server/</a>	
DTM	Driver Test manager. For latest Server DTM tests visit:  http://www.microsoft.com/whdc/hwtest/system/default.mspx	
STS	Server Test Submission Report published by EPSD	
WHDC	Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. <a href="http://www.microsoft.com/whdc/default.mspx">http://www.microsoft.com/whdc/default.mspx</a>	
WHOS	Windows Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. <a href="https://winqual.microsoft.com/">https://winqual.microsoft.com/</a>	
WHQL	Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/whql/default.mspx	
WLP	Windows Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.mspx	
WTS	Workstation Test Submission Report published by EPSD	

# **Server Board Submission Information**

## Intel Server Board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP Update submission.

### **Submission Information**

Submission ID				
Submission ID / Master ID	1497087 (S1200BTL MB)			
Submission Type	Submission Type			
	Check Submission Type	Comments		
CPU refresh Hardware and Driver Test Submission	Ø			
System Update Test Submission				
Product Category				
Hardware Category	PC System or Server			
Operating System family	Windows Server 2008 family ; Windows Server 2008 R2 family			
Product Detail				
General Product Information				
Equipment Type	Server			
Primary Target Market	Business/Corporate			
Compliance	All applicable requirements			
Characterization (optional)				
	Check appropriate options	Comments		
Web Server				
SQL Database Server	$\checkmark$			
File Server	<b>V</b>			

June. 5th, 2012 5

# **Server Board Configuration Information**

Processor		
Quantity	1 (physical processor installed)	
Front Side Bus Speed	5 GT/s (Giga transfers per sec)	
Family/Model	Intel® Xeon Processor E3 v2 series	
Speed	2.3, 2,.5, 3.1, 3.2, 3.3, 3.4, 3.5 and 3.6 GHz	
System Memory		
Amount Installed	32 GB	
Memory Type	DDR3	
Power Management		
ACPI Sleep States (S1, S2, S3, S4)	S1	
Server Board Product		
System uses logo'd motherboard	NO (Server boards are NOT eligible for logo under the Microsoft* Motherboard logo program)	
Board AA #/Fab	E98681-351	
Board Manufacturer	Intel Corporation	
Board Model	Intel <sup>®</sup> Server Board S1200BTL	
Northbridge* Chipset Manufacturer	Intel Corporation	
Northbridge Chipset Model	Intel <sup>®</sup> C204PCH	
Southbridge* Chipset Manufacturer	N/A	
Southbridge Chipset Model	N/A	
BIOS		
BIOS Manufacturer	Intel Corporation	
BIOS Version	S1200BT.86B.02.00.0035.030220120927	
BIOS Date	03/02/12	
BIOS URL (For Updates)	http://www.intel.com/p/en_US/support/highlights/server/sb-s1200bt	

Bus Types			
	Check all that Apply		Check all that Apply
PS/2		AGP*	
1394		PCCard* (16-bit)	
CF (Compact Flash)		CardBus* (32-bit)	
PCI	<b>V</b>	USB	
Mini-PCI		USB 2.0	$\square$
AMR		InfiniBand*	
ACR		Bluetooth*	
COM (Serial)	<b>V</b>	PCI Express	$\square$
Integrated Components			
	Check all that Apply		Check all that Apply
Audio		Display	<b>I</b>
IDE		Networking	$\square$
SCSI		RAID	$\square$
Modem		Bluetooth*	

## **Onboard Integrated Devices and Drivers**

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel $^{\circledR}$  Server Board S1200BTL are available for download at:

http://www.intel.com/p/en\_US/support/highlights/server/sb-s1200bt

Technology	os	Version
Intel <sup>®</sup> C204 chipset The chipset contains: PCH	Windows Server 2008 R2, Windows 2008 SP2 x64 bit, Windows 2008 SP2 x32 bit	intel_chipset_v9.2.3.1022
LAN  1 Intel <sup>®</sup> 82574L Server Network Connection Supports 10/100/1000  1 Intel <sup>®</sup> 82579 Server Network Connection Supports 10/100/1000	Windows Server 2008 R2, Windows 2008 SP2 x64 bit, Windows 2008 SP2 x32 bit	intel-lan_msft_v17.0
Display Server Engine iBMC video controller	Windows Server 2008 R2, Windows 2008 SP2 x64 bit, Windows 2008 SP2 x32 bit	WMD20101223ci.WHQL

#### **Product Data for HCL: Completion of WLP**

Data in this section reflects product data for HCL at time of WLP submission.

June. 5th, 2012 7

### **Server Board Submission Information**

Product Data			
Product Name	Intel <sup>®</sup> Server Board	d S1200BTL	
Additional Product Names	N/A		
	N/A		
Supported Platforms			
	Check Tested	Comments	
Windows Server 2008 family			
Windows Server 2008 R2 x64 family			

# **Hardware Compatibility Tests Used**

Microsoft\* Windows Hardware Driver Central Server Testing Home Page: <a href="http://www.microsoft.com/whdc/hwtest/system/default.mspx">http://www.microsoft.com/whdc/hwtest/system/default.mspx</a>.

Please check this website regularly for test kit updates.

Operating Systems	Notes	Hardware Compatibility Tests (HCT)
Windows Server 2008 R2 x64bit	DTM 1.6 Test Procedures for Systems, Servers and Cluster Servers	DTM 1.6 Test Kit
Windows Server 2008 SP2 x32bit	Logo'd Components Index Full Install	Logo'd Components Index Full Install
Windows Server 2008 SP2 x64bit		

# **Errata and Contingencies**

Microsoft\* System DTM Errata list is available at: https://winqual.microsoft.com/EC/

Operating System	Identification Number	Title
Windows Server 2008 R2 x64bit		See Testing Exceptions section below
Windows Server 2008 SP2 x32bit		See Testing Exceptions section below
Windows Server 2008 SP2 x64bit		See Testing Exceptions section below

#### **Submission Readme File**

Effective May 1, 2002, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at: <a href="http://www.microsoft.com/whdc/winlogo/WLK/default.mspx">http://www.microsoft.com/whdc/winlogo/WLK/default.mspx</a>

#### Testing Exceptions for S1200BTL Windows Server 2008 R2 x64Bit

Data in this section reflects product data and test exceptions listed in section 2 of the S1200BTL Readme file at time of WLP CPU refresh submission ID Number 1497087 (S1200BTL MB).

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 R2 x64b	N/A	N/A
Failing test name	N/A	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	N/A	
Additional information (for example, test system in a multiple system configuration)	N/A	

#### **Additional Information**

No additional information entered in section 3 of the S1200BTL Submission Readme file at time of WLP submission ID 1497087 (S1200BTL MB)

## Testing Exceptions for S1200BTL Windows Server 2008 SP2 x32Bit

Data in this section reflects product data and test exceptions listed in section 2 of the S1200BTL Readme file at time of WLP CPU refresh submission ID Number 1497087 (S1200BTL MB).

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 SP2 x32b	N/A	N/A
Failing test name	N/A	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	N/A	
Additional information (for example, test system in a multiple system configuration)	N/A	

#### **Errata and Contingencies**

#### **Additional Information**

No additional information entered in section 3 of the S1200BTL Submission Readme file at time of WLP submission ID 1497087 (S1200BTL MB)

#### Testing Exceptions for S1200BTL Windows Server 2008 SP2 x64Bit

Data in this section reflects product data and test exceptions listed in section 2 of the S1200BTL Readme file at time of WLP CPU refresh submission ID Number 1497087 (S1200BTL MB).

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2008 SP2 x64b	N/A	N/A
Failing test name	N/A	
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	N/A	
Additional information (for example, test system in a multiple system configuration)	N/A	

#### **Additional Information**

No additional information entered in section 3 of the S1200BTL Submission Readme file at time of WLP submission ID 1497087 (S1200BTL MB)

# **Appendix A – Submission History**

Microsoft "Designed for Windows\*" logo submission history for the Intel® Server Board S1200BTL

Submission ID	Туре	Date	OS Qualified	Processor Speeds	Board Revision	BIOS Version
1497087	CPU refresh	6/5/2012	Windows Server 2008 R2 - 64 Bit Windows Server 2008 SP2 - 32 Bit Windows Server 2008 SP2 - 64 Bit	2.3, 2,.5, 3.1, 3.2, 3.3, 3.4, 3.5 and 3.6 GHz	351	S1200BT.86B.02.00.0035.030220120927