intel®

Server WHQL Testing Services

Enterprise Platforms and Services Division

Intel[®] Server S3210SHLC

Server Test Submission (STS) Report

For the Microsoft[®] Windows[®] Logo Program (WLP)

Rev 1.0

October 16, 2006

This report describes the Intel® S3210SHLC Server Platform Windows* Logo Program test run conducted by Intel Enterprise Platforms and Services Division (EPSD).

Purpose of this WLP Submission:

It's the first time submission for the Microsoft* Designed for Windows Logo submission for the Intel® Server Board S3210SHLC.

Submission Type:	Reason for test run	Check one
First Time Submission	Initial Microsoft Designed for Windows logo submission. New product submission.	\checkmark
System Update	Hardware update. (For example, update submission test run with new processor speeds.)	
BIOS Update	BIOS and/or Firmware update. (For example, update submission test run with new BIOS to support additional processor speeds.)	
OS Update	OS update. (For example, update submission test run to add Microsoft Designed for Windows Server 2003 logo to product.)	

Revision History and Disclaimers

Revision History			
Revision	Date	Comments	
1.0	11/16/2007	Internal draft of the STS Report for Windows Server 2003 Submission for Intel® Server Board S3210SHLC include both 32 and 64 bits versions done with Quad-Core Kentsfield processor.	

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel[®] products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

* Other names and brands may be claimed as the property of others.

Copyright © 2006, Intel Corporation. All rights reserved.

Contents

Revision History and Disclaimers 2
Introduction 4
Overview of Contents4
Terms and Definitions4
Server Board Submission Information5
Intel Server Board Submission Report: Completion of WLP5
Submission Information5
Submission ID5
Submission Type5
Product Category5
Product Detail
General Product Information5
Characterization (optional)5
Server Board Configuration Information6
Processor
System Memory6
Power Management6
BIOS
Bus Types7
Integrated Components7
Onboard Integrated Devices and Drivers7
Product Data for HCL: Completion of WLP8
Product Data
Hardware Compatibility Tests Used
Errata and Contingencies 10
Submission Readme File
Testing Exceptions for Intel® Server S3210SHLCWindows Server 2003
Testing Exceptions for Intel® Server S3210SHLCWindows Server 2003 64 BitError! Bookmark not defined.
Appendix A – Submission History 12

Introduction

This report provides an overview of the testing conducted on the Intel® Server Board S3210SHLCwith RAID enabled by Intel EPSD and provides details about this testing run.

Overview of Contents

Section	Content
Introduction	Brief descriptions of the sections in the report. Table listing terms and definitions.
Server Product Submission Information	Submission information, ID # and final server board configuration upon completion of WLP including HW, Driver version, BIOS version, and Board AA number
DTM	All DTM's used during testing
Errata and Contingencies	All Microsoft* errata or contingencies used during testing

Terms and Definitions

Term	Definitions
EPSD	Enterprise Platforms and Services Division
HCL	Windows Hardware Compatibility List. You can view the HCL at: http://www.microsoft.com/whdc/hcl/search.mspx
DTM	Driver Test Manager. For latest Server HCTs visit: http://www.microsoft.com/whdc/winlogo/wlk/default.mspx
STS	Server Test Submission Report published by EPSD
WHDC	Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. <u>http://www.microsoft.com/whdc/default.mspx</u>
WHOS	Windows Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. <u>https://winqual.microsoft.com/</u>
WHQL	Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/default.mspx
WLP	Windows Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.mspx
WTS	Workstation Test Submission Report published by EPSD

Server Board Submission Information

Intel Server Board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP Update submission.

Submission Information

Submission ID			
Submission ID / Master ID	1270915		
Submission Type			
	Check Submission Type	Comments	
First-Time Hardware and Driver Test Submission			
System Update Test Submission			
Product Category			
Hardware Category	PC System or Server	PC System or Server	
Operating System family	Windows Server 2003 (32 & 64 Bi	t)	
Product Detail	Product Detail		
General Product Information	ı		
Equipment Type	Server		
Primary Target Market	Business/Corporate		
Compliance	All applicable requirements		
Characterization (optional)			
	Check appropriate options	Comments	
Web Server			
SQL Database Server			
File Server			

Server Board Configuration Information

Processor			
Quantity	1 (physical processor with support for either single, dual or Quad cores)		
Front Side Bus Speed	1333 MHz		
Family/Model	Intel Core 2 Extreme QX6850		
Speed	3.0GHz		
System Memory			
Amount Installed	8 GB		
Memory Type	DDR-2 667/800MHz (4 DIMMs) ECC Unbuffered memory		
Power Management			
ACPI Sleep States	S0, S1, S4, S5		
Server Board Product			
System uses logo'd motherboard	NO (Server boards are <u>NOT</u> eligible for logo under the Microsoft* Motherboard logo program)		
Board AA #/Fab	D86139-202		
Board Manufacturer	Intel Corporation		
Board Model	Intel® Server Board S3210SHLC		
Northbridge* Chipset Manufacturer	Intel Corporation		
Northbridge Chipset Model	Intel S3210 Chipset		
Southbridge* Chipset Manufacturer	Intel Corporation		
Southbridge Chipset Model	Intel ICH9R		
BIOS			
BIOS Manufacturer	Intel Corporation		
BIOS Version	S3200X38.86B.00.00.0030		
BIOS Date	10/12/2007		
BIOS URL (For Updates)	http://support.intel.com/		

Bus Types				
	Check all that Apply		Check all that Apply	
PS/2		AGP*		
1394		PCCard* (16-bit)		
CF (Compact Flash)		CardBus* (32-bit)		
PCI		USB	$\overline{\mathbf{V}}$	
Mini-PCI		USB 2.0	\square	
AMR		InfiniBand*		
ACR		Bluetooth*		
COM (Serial)		PCI Express	\square	
Integrated Components				
	Check all that Apply		Check all that Apply	
Audio		Display	\square	
IDE		Networking		
SCSI		RAID		
Modem		Bluetooth*		

Onboard Integrated Devices and Drivers

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel® Server Board S3210SHLCare available for download at:

http://downloadcenter.intel.com/

Technology	OS	Version
LAN1	Windows Server 2003 64	8.9.1.0
82541 PCI Pro1000	Windows Server 2003 64 Bit	8.9.1.0
LAN2	Windows Server 2003 64	10.1.17.0
82566 PCI Express Pro1000	Windows Server 2003 64 Bit	10.1.17.0
Display	Windows Server 2003	V5.95.006.9
Server Engine iBMC video	Windows Server 2003 64 Bit	V5.95.006.9
Serial RAID ATA (ICH9-R)	Windows Server 2003	V7.5.0.1007
Integrated 4-port SATA with support for RAID 0,1, 5 and 10	Windows Server 2003 64 Bit	V7.5.0.1007
Intel S3200/S3210 ICH9R Chipset	Windows Server 2003	V8.3.1.1009
•	Windows Server 2003 64 Bit	V8.3.1.1009

Product Data for HCL: Completion of WLP

Data in this section reflects product data for HCL at time of WLP submission.

Product Data			
Product Name	Intel® Server Board S3210SHLC		
Additional Product Names			
Supported Platforms			
	Check Tested	Comments	
Windows Server 2003, Web Edition	\checkmark		
Windows Server 2003, Standard Edition	\checkmark		
Windows Server 2003, Enterprise Edition	\checkmark		
Windows Server 2003, Standard Edition 64 Bit	\checkmark		
Windows Server 2003, Enterprise Edition 64 Bit	\checkmark		

Hardware Compatibility Tests Used

Microsoft* Windows Hardware Driver Central Server Testing Home Page: <u>http://www.microsoft.com/whdc/hwtest/system/default.mspx</u>.

Please check this website regularly for test kit updates.

Operating Systems	Notes	Driver test manager (DTM)
Windows Server 2003	DTM 1.0_C Test Procedures and Readme files for Windows XP SP2 and Windows Server 2003	DTM 1.0_C (Windows XP SP2 and Windows Server 2003) Test Kit

Errata and Contingencies

N/A

Submission Readme File

Effective May 1, 2007, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at:

http://www.microsoft.com/whdc/whql/WHQLdwn.mspx

Testing Exceptions for Intel® Server S3210SHLCS3210SHLC Windows Server 2003

N/A

Appendix A – Submission History

Submission ID	Туре	Date	OS Qualified	Processor Speeds	Board Revision	BIOS Version
1270915	First- Time	11/16/2006	Windows 2003 64 Bit Windows 2003	Intel Core 2 Extreme QX6850 3.0GHz	Fab 202	S3200X38.86B.00.00.0030