

Server WHQL Testing Services

Enterprise Platforms and Services Division

Intel[®] Server board S5500HCV

Server Test Submission (STS) Report

For the Microsoft[®] Windows[®] Logo Program (WLP)

Rev 1.0

February 24, 2010

This report describes the Intel[®] Server board S5500HCV Windows* Logo Program test run conducted by Intel Enterprise Platforms and Services Division (EPSD).

Purpose of this WLP Submission:

System First Time submission for the Microsoft* Designed for Windows* Logo submission for the Intel[®] Server Board S5500HCV in an SATA AHCI mode configuration.

Windows* Server 2008 R2 Submission Logo ID: 1390047

Submission Type:	Reason for test run	Check one
First Time Submission	Initial Microsoft Designed for Windows* logo submission. New product submission.	\checkmark
System Update	Hardware update. (For example, update submission test run with new processor speeds.)	
BIOS Update	BIOS and/or Firmware update. (For example, update submission test run with new BIOS to support additional processor speeds.)	
OS Update	OS update. (For example, update submission test run to add Microsoft Designed for Windows* Vista logo to product.)	

Revision History and Disclaimers

Revision History			
Revision	Revision Date Comments		
1.0	1.0 2/24/2010 Internal draft of the STS Report for Windows* Server 2008R2 x64 & Windows* Server 2008sp2 x64 Submission for Intel [®] Server Board S5500HCV.		

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel[®] products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

* Other names and brands may be claimed as the property of others.

Copyright © 2009, Intel Corporation. All rights reserved.

Contents

Revision History and Disclaimers2	
Introduction4	
Overview of Contents 4	
Terms and Definitions 4	
Server/workstation board Submission Information5	
Intel Server/workstation board Submission Report: Completion of WLP	
Submission Information	
Submission ID5	
Submission Type5	
Product Category	
Product Detail	
General Product Information5	
Characterization (optional) 5	
Server/workstation board Configuration Information6	
Processor 6	
System Memory6	
Power Management6	
BIOS6	
Bus Types7	
Integrated Components7	
Onboard Integrated Devices and Drivers7	
Product Data for HCL: Completion of WLP7	
Product Data8	
Hardware Compatibility Tests Used9	
Errata and Contingencies10	
Submission Readme File	
Testing Exceptions for S5500HCV Windows* Server 2008 R2 x64 11	
Testing Exceptions for S5500HCV Windows* Server 2008 sp2 x64	
Additional Information 11	
Appendix A – Submission History12	

Introduction

This report provides an overview of the testing conducted on the Intel[®] Server board S5500HCV by Intel EPSD and provides details about this testing run.

Overview of Contents

Section Content		
Introduction	Brief descriptions of the sections in the report. Table listing terms and definitions.	
Server Product Submission Information	Submission information, ID # and final Server/workstation board configuration upon completion of WLP including HW, Driver version, BIOS version, and Board AA number	
DTM	All DTM tests used during testing	
Errata and Contingencies	All Microsoft* errata or contingencies used during testing	

Terms and Definitions

Term	Definitions	
EPSD	Enterprise Platforms and Services Division	
HCL	Windows* Hardware Compatibility List. Changed to Windows Server Catalogue. You can view the catalogue at: http://www.microsoft.com/windows/catalog/server/	
DTM	Driver Test manager. For latest Server DTM tests visit: http://www.microsoft.com/whdc/hwtest/system/default.mspx	
STS	Server Test Submission Report published by EPSD	
WHDC	Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. <u>http://www.microsoft.com/whdc/default.mspx</u>	
WHOS	Windows* Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. <u>https://winqual.microsoft.com/</u>	
WHQL	Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/whql/default.mspx	
WLP	Windows* Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.mspx	
WTS	Workstation Test Submission Report published by EPSD	

Server/workstation board Submission Information

Intel Server/workstation board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP Update submission.

Submission Information

Submission ID				
Submission ID / Master ID	1391730			
Submission Type				
	Check Submission Type	Comments		
First-Time Hardware and Driver Test Submission				
System Update Test Submission				
Product Category				
Hardware Category	PC System or Server	PC System or Server		
Operating System family	Windows* Server 2008R2 x64 fam	Windows* Server 2008R2 x64 family		
	Windows* Server 2008sp2 x64 family			
Product Detail				
General Product Information	ı			
Equipment Type	Server			
Primary Target Market	Business/Corporate			
Compliance	All applicable requirements	All applicable requirements		
Characterization (optional)				
	Check appropriate options	Comments		
Web Server	\square			
SQL Database Server	\square			
File Server				

Server/workstation board Configuration Information

Processor		
Quantity	2 (physical processors installed)	
Front Side Bus Speed	6.40 GT/s (Gigatransfers per sec)	
Family/Model	Intel [®] Xeon Quad-core Processor 5500 series	
Speed	1.86, 2.00, 2.13, 2.26, 2.53, 2.66, 2.80, 2.93 and 3.33 GHz	
System Memory		
Amount Installed	72 GB	
Memory Type	DDR3	
Power Management		
ACPI Sleep States (S1, S2, S3, S4)	S1	
Server/workstation board Pro	oduct	
System uses logo'd motherboard	NO (Server boards are <u>NOT</u> eligible for logo under the Microsoft* Motherboard logo program)	
Board AA #/Fab	PBA: E40912-451	
Board Manufacturer	Intel Corporation	
Board Model	Intel [®] Server board S5500HCV	
Northbridge* Chipset Manufacturer	Intel Corporation	
Northbridge Chipset Model	Intel [®] 5500 I/O Hub (IOH)	
Southbridge* Chipset Manufacturer	Intel Corporation	
Southbridge Chipset Model	Intel [®] AF82801JIR I/O Controller Hub (ICHI0R)	
BIOS		
BIOS Manufacturer	Intel Corporation	
BIOS Version	S5500.86B.01.00.0047.012520101009	
BIOS Date	1/25/2010	
BIOS URL (For Updates)	http://www.intel.com/support/motherboards/server/s5520hc/index.htm	

Bus Types			
	Check all that Apply		Check all that Apply
PS/2		AGP*	
1394		PCCard* (16-bit)	
CF (Compact Flash)		CardBus* (32-bit)	
PCI		USB	
Mini-PCI		USB 2.0	
AMR		InfiniBand*	
ACR		Bluetooth*	
COM (Serial)		PCI Express	
Integrated Components		·	·
	Check all that Apply		Check all that Apply
Audio		Display	
IDE		Networking	
SCSI		RAID	
Modem		Bluetooth*	

Onboard Integrated Devices and Drivers

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel[®] Server board S5500HCV are available for download at:

http://support.intel.com/support/motherboards/server/S5520HC

Technology	OS	Version
Intel [®] S5500 IOH Chipset The chipset contains 24 PCI-E 2.0 lanes to accommodate IO throughput for the system.	Windows* Server 2008 R2 x64	9.1.1.1019
LAN Intel [®] 82575EB Server Network Connection Supports 10/100/1000	Windows* Server 2008 R2 x64	Pkg 14.2

Note: Windows Server 2008 sp2 x64 can be covered by Windows Server 2008 R2 x64 certification and NO independent certification was required.

Product Data for HCL: Completion of WLP

Data in this section reflects product data for HCL at time of WLP submission.

Server/workstation board Submission Information

Product Data				
Product Name	Intel [®] Server board	I \$5500HCV		
	Intel [®] Server Chas	sis SC5600LX		
Additional Product Names	Intel [®] Server Chas	Intel [®] Server Chassis SC5600BRP		
Additional Froduct Names	Intel [®] Server Chas	sis SC5600BASE		
	Intel [®] Server Chas	sis SC5650DP		
	Intel [®] Server Chassis SC5650BRP			
Supported Platforms				
	Check Tested	Comments		
Windows* Server 2003 family				
Windows* Server 2003 x64 family				
Windows* Vista family				
Windows* Vista x64 family				
Windows* Server 2008 R2 x64 family				
Windows* Server 2008 sp2 x64 family				
Windows* Server 2008 sp2 x86 family				

Hardware Compatibility Tests Used

Microsoft* Windows Hardware Driver Central Server Testing Home Page: <u>http://www.microsoft.com/whdc/hwtest/system/default.mspx</u>.

Please check this website regularly for test kit updates.

Operating Systems	Notes	Hardware Compatibility Tests (HCT)
Windows* Server 2003	DTM 1.4 Test Procedures for Systems, Servers and Cluster Servers (Windows* 2000)	DTM 1.4 Test Kit (Windows* 2000)
	http://download.microsoft.com/download/whistler/ Docs/Docs/W982KMeXP/EN- US/HCT9502_Systems.exe	http://download.microsoft.com/download/whistler/Tools /Tools/W98NT42KMeXP/EN-US/HCT9502UPD.EXE
	Logo'd Components Index Full Install	Logo'd Components Index Full Install (~9.8 MB)
		http://download.microsoft.com/download/whistler/Instal I/20.0/W982KMeXP/EN-US/logoidx.exe
	391 NDIS Intermediate Drivers Instructions	Beta NDIS Test Update (ndt391.exe) (2MB)
	http://download.microsoft.com/download/whistler/ Install/20.1/W982KMeXP/EN- US/NDISIntermedDriver.exe	http://download.microsoft.com/download/whistler/Instal I/12.2/W982KMeXP/EN-US/ndt391.exe
	386 NDIS Intermediate Drivers Instructions	NDIS Test Update for Windows* 98 SE, Windows* Me, and Windows* 2000 (ndt386.exe) (2.02MB)
	http://download.microsoft.com/download/whistler/ Install/20.1/W982KMeXP/EN- US/NDISIntermedDriver.exe	http://download.microsoft.com/download/whistler/Instal I/12.2/W982KMeXP/EN-US/ndt386.exe
Windows* Vista	DTM 1.4 Test Procedures and Readme files for Windows* Server 2003 and Windows* Vista	DTM 1.4 Test Kit
	http://www.microsoft.com/whdc/hwtest/search/de tails.aspx?ID=725	http://www.microsoft.com/whdc/hwtest/search/details.a spx?ID=724
	Logo'd Components Index Full Install	Logo'd Components Index Full Install (~9.8 MB)
		http://download.microsoft.com/download/whistler/Instal I/20.0/W982KMeXP/EN-US/logoidx.exe

Errata and Contingencies

Microsoft* System DTM Errata list is available at: https://winqual.microsoft.com/EC/

Operating System	Identification Number	Title
Windows* Server 2008 R2		See Testing Exceptions section below
Windows* Server 2008 sp2		See Testing Exceptions section below

Submission Readme File

Effective May 1, 2002, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at: http://www.microsoft.com/whdc/winlogo/WLK/default.mspx

Testing Exceptions for S5500HCV Windows* Server 2008 R2 x64

Data in this section reflects product data and test exceptions listed in section 2 of the S5500HCV Readme file at time of WLP First-Time submission ID Number **1390047**.

Operating system (Windows* XP, Windows* 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number		
Windows* Server 2008 R2 x64	None	None		
Failing test name	None			
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	None			
Additional information (for example, test system in a multiple system configuration)	no errata included with this submission			

Testing Exceptions for S5500HCV Windows* Server 2008 sp2 x64

Data in this section reflects product data and test exceptions listed in section 2 of the S5500HCV Readme file at time of WLP First-Time submission ID Number **1390047**.

Operating system (Windows* XP, Windows* 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number		
Windows* Server 2008 sp2 x64	None	None		
Failing test name	None			
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)	None			
Additional information (for example, test system in a multiple system configuration)	no errata included with this submission			

Additional Information

No additional information entered in section 3 of the S5500HCV Submission Readme file at time of WLP submission ID 1390047.

Appendix A – Submission History

Submission ID	Туре	Date	OS Qualified	Processor Speeds	Board Revision	BIOS Version
1390047	First- Time	2/24/2010	Windows* Server 2008 R2 x64, Server 2008 SP2 x64,	1.86, 2.00, 2.13, 2.26, 2.53, 2.66, 2.80, 2.93 and 3.33 GHz	451	S5500.86B.01.00.0047.012520101009

Microsoft "Designed for Windows*" logo submission history for the Intel[®] Server board S5500HCV