# Chenbro SR101

## www.chenbro.com.tw



#### **Product Information**

Model#: SR101xx

**Size:** (DxWxH in): 22.9" x 14.6" x 26.8" **Size:** (DxWxH mm): 583 x 370 x 680

**5.25" Bays:** 12

3.50" Bays: 1 internal, 8 external. Optional HS SCSI bay.

Cooling: 4x 90mm Standard, upgradable

Power Supply: 450W, 550W single, or 460W redundant

Other Information: Hot swap hard drive fans, chassis

intrusion detection, 3-way key lock

**Note:** The above information is provided by the chassis manufacturer and is the sole responsibility of the manufacturer. Intel assumes no responsibility for any inaccuracies in this data or any changes made by the manufacturer.

## **Additional Information**

#### Associated Model #s:

SR10101/SR10102/SR10103/SR10104

**Options:** Optional Zippy\* RHD 6460P HS redundant power, and up to six additional 80mm and one 60mm fans.

Chassis Configuration Intel® Server Board SE7501CW2

Tested Chassis List Based On Mechanical and Thermal Regression Testing of Chassis Posted on Server Board

SE7500CW2 and SHG2 Reference Lists

Model tested: SR101XX

Fans (qty x size): 4 x 90mm Minebea\* 3610KL-04W-B30 Hard drives: 1 x Seagate\* ST380020A, 2x Western Digital\*

WD400EB

**Processor:** Two 2.4Ghz Intel ® Xeon TM processors

Memory: 4 X Samsung\* 128M DDR200 DIMM

M386L1713BT1-CA0

Power Supply: NMB SD026A550NSW

Additional Information:

\* Third party names and brands are the property of their respective owners.

Note: Modifications to the tested configuration may cause

variations in actual performance.

### List of Intel®

## **Server Boxed Boards**

**Mechanically Compatible with:** 

SHG2, SE7500CW2 & SE7501CW2

Thermally Compatible with:

SHG2, SE7500CW2 & SE7501CW2