

17.5 Intel Material Declaration Data Sheets

The Material Declaration Data Sheets (MDDS) contained in this chapter are based upon the format established by the Electronic Industries Alliance (EIA), The European Information and Communication Technology Association (EICTA) and the Japan Green Procurement Survey Standardization Initiative (JGPSSI). This format is published as the Joint Industry Guide for Material Composition Declaration and can be found at: <u>http://www.eia.org/resources/2003-09-</u> 19.10.pdf

Most of the data sheets contained in this chapter are based on third-party analytical testing of the product specified in footnote #2 of each MDDS. If a product is not specified in footnote #2, the data listed in that MDDS are based on engineering estimates. Data sheets are organized by representative package types which cover the range of similar products. Since multiple products may be covered by a data sheet, data are reported in parts per million (ppm). Mass of the product is provided. Mass of individual materials can be calculated by the user as needed.

MDDSs for other package families will be added to this chapter as they become available. In addition, existing MDDSs will be updated periodically as additional data becomes available. Users of MDDS are responsible for consulting this chapter regularly to ensure they are using the most recent MDDS version.

INTEL ACCEPTS NO DUTY TO NOTIFY USERS ABOUT CHANGES TO AN MDDS. INTEL IS NOT LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, THAT THE READER MIGHT INCUR AS A RESULT OF IGNORING THIS WARNING, OR THAT ANY THIRD PARTY MIGHT SUFFER AS A RESULT OF THE READER'S IGNORING THIS WARNING.



May 2006

To whom it may concern:

Intel manufactures a wide range of products, from microprocessors, through embedded controllers, up to complete OEM systems. A large number of subassemblies and components are purchased from other manufacturers. Intel goes to great lengths to make sure all our products meet applicable legal requirements, and we continually monitor changes in those requirements. We have surveyed our products, and to the best of our knowledge, Intel products are in compliance with all applicable national and international laws and regulations, including those that may restrict the materials content of certain products.

Intel is frequently asked by its customer base about the presence of certain materials in its products. To the best of our knowledge, the following materials are not present in Intel products and are restricted by Intel's Environmental Product Content Specification for Suppliers and Outsourced Manufacturers (http://supplier.intel.com/ehs/environmental.htm):

- Asbestos
- Certain Azo Colorants
- Cadmium compounds (except as a plastic stabilizer where content must be < 100 ppm)
- Mercury compounds
- Ozone Depleting Substances (ODS)
- Polybrominated biphenyls and their ethers (PBB, PBDE)
- Polychlorinated biphenyls and terphenyls (PCB, PCT)
- Polychlorinated napthalenes
- Short-chained chlorinated paraffins
- Tributyl tin (TBT) and Triphenyl tin (TPT)
- Tributyl tin oxide (TBTO)
- Hexavalent chromium

The information provided regarding the material content of our products is true and correct to the best of our knowledge and Intel has systems and due diligence processes in place to determine the content of our products and ensure compliance with all applicable laws and regulations. Furthermore, where Intel has identified products as RoHS compliant in the attached Material Declaration Data Sheets (MDDS), Intel defines RoHS compliance as Lead and other banned materials in the EU RoHS directive are either (1) below all applicable substance thresholds as proposed by the EU or (2) an approved exemption applies. (Note: RoHS implementing details are not fully defined and may change.)

Sincerely,

Linda &. Young

Linda Young Product Ecology Program Manager Intel Corporation 4500 South Dobson Road, Mail Stop: OC4-110 Chandler, Arizona 85248 <u>linda.young@intel.com</u> http://www.intel.com/intel/other/ehs/product_ecology/



~~~~

| SSOP                         |
|------------------------------|
| Shrink Small Outline Package |
| PinCount: 48                 |
| Pb Free Product: No          |

| Product Weight (grams): | 0.7               |
|-------------------------|-------------------|
| Manufacturer:           | Intel Corporation |
| Revision Date:          | 5/9/2005          |

#### **Restrictions on Hazardous Substances (RoHS) Compliance**

## **RoHS** Definition

\* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

\* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

#### **RoHS Declaration**

\* This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

## LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

| Asbestos                      | Mercury / Mercury Compounds           | Polychlorinated Naphthalenes               |
|-------------------------------|---------------------------------------|--------------------------------------------|
| Azo colorants                 | Ozone Depleting Substances            | Radioactive Substances                     |
| Cadmium / Cadmium Compounds   | Polybrominated Biphenyls (PBBs)       | Shortchain Chlorinated Paraffins           |
| Hexavalent Chromium           | Polybrominated Diphenylethers (PBDEs) | Tributyl Tin (TBT) and Triphenyl Tin (TPT) |
| Hexavalent Chromium Compounds | Polychlorinated Biphenyls (PCBs)      | Tributyl Tin Oxide (TBTO)                  |

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

|                     | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|---------------------|--------------------|---------------------|---------------------------------|
| Lead/Lead Compounds |                    |                     |                                 |

# LEVEL B MATERIALS AND SUBSTANCES

| Antimony/Antimony Compounds   | Bismuth/Bismuth Compounds   | Phthalates                   |
|-------------------------------|-----------------------------|------------------------------|
| Arsenic/Arsenic Compounds     | Brominated Flame Retardants | Selenium/Selenium Compounds  |
| Beryllium/Beryllium Compounds | Nickel/Nickel Compounds     | Vinyl Chloride Polymer (PVC) |

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

|                               | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|-------------------------------|--------------------|---------------------|---------------------------------|
| Antimony                      | Flame retardant    | Mold Compound       | < 1370                          |
| Brominated Flame<br>Retardant | Flame retardant    | Mold Compound       | 1190                            |
| Nickel                        | Leadframe plating  | Leadframe           | 2620                            |

1. The data on Level A and B materials and substances are based on analytical testing of the following package: SSOP 48, Product Code Name DA82562ET. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



| ISOP                       |
|----------------------------|
| Thin Small Outline Package |
| PinCount: 32               |
| Pb Free Product: No        |

| Product Weight (grams): | 0.4               |
|-------------------------|-------------------|
| Manufacturer:           | Intel Corporation |
| Revision Date:          | 11/17/2004        |

## **Restrictions on Hazardous Substances (RoHS) Compliance**

## **RoHS** Definition

\* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

\* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

#### **RoHS** Declaration

\* This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

## LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

| Asbestos                      | Mercury / Mercury Compounds           | Polychlorinated Naphthalenes               |
|-------------------------------|---------------------------------------|--------------------------------------------|
| Azo colorants                 | Ozone Depleting Substances            | Radioactive Substances                     |
| Cadmium / Cadmium Compounds   | Polybrominated Biphenyls (PBBs)       | Shortchain Chlorinated Paraffins           |
| Hexavalent Chromium           | Polybrominated Diphenylethers (PBDEs) | Tributyl Tin (TBT) and Triphenyl Tin (TPT) |
| Hexavalent Chromium Compounds | Polychlorinated Biphenyls (PCBs)      | Tributyl Tin Oxide (TBTO)                  |

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

|                     | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|---------------------|--------------------|---------------------|---------------------------------|
| Lead/Lead Compounds |                    |                     |                                 |

# LEVEL B MATERIALS AND SUBSTANCES

| Antimony/Antimony Compounds   | Bismuth/Bismuth Compounds   | Phthalates                   |
|-------------------------------|-----------------------------|------------------------------|
| Arsenic/Arsenic Compounds     | Brominated Flame Retardants | Selenium/Selenium Compounds  |
| Beryllium/Beryllium Compounds | Nickel/Nickel Compounds     | Vinyl Chloride Polymer (PVC) |

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

|                               | Description of Use      | Location in Product | Material Concentration<br>(ppm) |
|-------------------------------|-------------------------|---------------------|---------------------------------|
| Antimony                      | Flame retardant         | Mold Compound       | 11200                           |
| Brominated Flame<br>Retardant | Flame retardant         | Mold Compound       | 4830                            |
| Nickel                        | Electrical Interconnect | IC Lead             | 2590                            |

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 48. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



| ISOP               |           |
|--------------------|-----------|
| Thin Small Outline | e Package |
| PinCount: 40       |           |
| Pb Free Product:   | No        |

Product Weight (grams):0.5Manufacturer:Intel CorporationRevision Date:11/17/2004

#### **Restrictions on Hazardous Substances (RoHS) Compliance**

## **RoHS** Definition

\* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

\* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

#### **RoHS Declaration**

\* This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

## LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

| Asbestos                      | Mercury / Mercury Compounds           | Polychlorinated Naphthalenes               |
|-------------------------------|---------------------------------------|--------------------------------------------|
| Azo colorants                 | Ozone Depleting Substances            | Radioactive Substances                     |
| Cadmium / Cadmium Compounds   | Polybrominated Biphenyls (PBBs)       | Shortchain Chlorinated Paraffins           |
| Hexavalent Chromium           | Polybrominated Diphenylethers (PBDEs) | Tributyl Tin (TBT) and Triphenyl Tin (TPT) |
| Hexavalent Chromium Compounds | Polychlorinated Biphenyls (PCBs)      | Tributyl Tin Oxide (TBTO)                  |

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

|                     | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|---------------------|--------------------|---------------------|---------------------------------|
| Lead/Lead Compounds |                    |                     |                                 |

# LEVEL B MATERIALS AND SUBSTANCES

| Antimony/Antimony Compounds   | Bismuth/Bismuth Compounds   | Phthalates                   |
|-------------------------------|-----------------------------|------------------------------|
| Arsenic/Arsenic Compounds     | Brominated Flame Retardants | Selenium/Selenium Compounds  |
| Beryllium/Beryllium Compounds | Nickel/Nickel Compounds     | Vinyl Chloride Polymer (PVC) |

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

|                               | Description of Use      | Location in Product | Material Concentration<br>(ppm) |
|-------------------------------|-------------------------|---------------------|---------------------------------|
| Antimony                      | Flame retardant         | Mold Compound       | 11200                           |
| Brominated Flame<br>Retardant | Flame retardant         | Mold Compound       | 4830                            |
| Nickel                        | Electrical Interconnect | IC Lead             | 2590                            |

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 48. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



| ISOP                       |  |
|----------------------------|--|
| Thin Small Outline Package |  |
| PinCount: 48               |  |
| Pb Free Product: No        |  |

Product Weight (grams):0.5Manufacturer:Intel CorporationRevision Date:11/17/2004

## **Restrictions on Hazardous Substances (RoHS) Compliance**

## **RoHS** Definition

\* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

\* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

#### **RoHS** Declaration

\* This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

## LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

| Asbestos                      | Mercury / Mercury Compounds           | Polychlorinated Naphthalenes               |
|-------------------------------|---------------------------------------|--------------------------------------------|
| Azo colorants                 | Ozone Depleting Substances            | Radioactive Substances                     |
| Cadmium / Cadmium Compounds   | Polybrominated Biphenyls (PBBs)       | Shortchain Chlorinated Paraffins           |
| Hexavalent Chromium           | Polybrominated Diphenylethers (PBDEs) | Tributyl Tin (TBT) and Triphenyl Tin (TPT) |
| Hexavalent Chromium Compounds | Polychlorinated Biphenyls (PCBs)      | Tributyl Tin Oxide (TBTO)                  |

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

|                     | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|---------------------|--------------------|---------------------|---------------------------------|
| Lead/Lead Compounds |                    |                     |                                 |

# LEVEL B MATERIALS AND SUBSTANCES

| Antimony/Antimony Compounds   | Bismuth/Bismuth Compounds   | Phthalates                   |
|-------------------------------|-----------------------------|------------------------------|
| Arsenic/Arsenic Compounds     | Brominated Flame Retardants | Selenium/Selenium Compounds  |
| Beryllium/Beryllium Compounds | Nickel/Nickel Compounds     | Vinyl Chloride Polymer (PVC) |

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

|                               | Description of Use      | Location in Product | Material Concentration<br>(ppm) |
|-------------------------------|-------------------------|---------------------|---------------------------------|
| Antimony                      | Flame retardant         | Mold Compound       | 11200                           |
| Brominated Flame<br>Retardant | Flame retardant         | Mold Compound       | 4830                            |
| Nickel                        | Electrical Interconnect | IC Lead             | 2590                            |

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 48, Product Code Name TE28F320. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



| ISOP                       |  |
|----------------------------|--|
| Thin Small Outline Package |  |
| PinCount: 56               |  |
| Pb Free Product: No        |  |

| Product Weight (grams): | 0.6               |
|-------------------------|-------------------|
| Manufacturer:           | Intel Corporation |
| Revision Date:          | 11/17/2004        |

## **Restrictions on Hazardous Substances (RoHS) Compliance**

## **RoHS** Definition

\* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

\* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

#### **RoHS** Declaration

\* This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

## LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

| Asbestos                      | Mercury / Mercury Compounds           | Polychlorinated Naphthalenes               |
|-------------------------------|---------------------------------------|--------------------------------------------|
| Azo colorants                 | Ozone Depleting Substances            | Radioactive Substances                     |
| Cadmium / Cadmium Compounds   | Polybrominated Biphenyls (PBBs)       | Shortchain Chlorinated Paraffins           |
| Hexavalent Chromium           | Polybrominated Diphenylethers (PBDEs) | Tributyl Tin (TBT) and Triphenyl Tin (TPT) |
| Hexavalent Chromium Compounds | Polychlorinated Biphenyls (PCBs)      | Tributyl Tin Oxide (TBTO)                  |

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

|                     | Description of Use | Location in Product | Material Concentration<br>(ppm) |
|---------------------|--------------------|---------------------|---------------------------------|
| Lead/Lead Compounds |                    |                     |                                 |

# LEVEL B MATERIALS AND SUBSTANCES

| Antimony/Antimony Compounds   | Bismuth/Bismuth Compounds   | Phthalates                   |
|-------------------------------|-----------------------------|------------------------------|
| Arsenic/Arsenic Compounds     | Brominated Flame Retardants | Selenium/Selenium Compounds  |
| Beryllium/Beryllium Compounds | Nickel/Nickel Compounds     | Vinyl Chloride Polymer (PVC) |

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

|                               | Description of Use      | Location in Product | Material Concentration<br>(ppm) |
|-------------------------------|-------------------------|---------------------|---------------------------------|
| Antimony                      | Flame retardant         | Mold Compound       | 11200                           |
| Brominated Flame<br>Retardant | Flame retardant         | Mold Compound       | 4830                            |
| Nickel                        | Electrical Interconnect | IC Lead             | 2590                            |

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 48. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



~~~~

SSOP	
Shrink Small Outline Package	
PinCount: 48	
Pb Free Product: Yes	

Product Weight (grams):0.7Manufacturer:Intel CorporationRevision Date:4/24/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

* The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound	1190
Nickel	Leadframe plating	Leadframe	2620

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: SSOP 48, Product Code Name EP82562ET (15mm x 10mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



ISOP	
Thin Small Outline Package	
PinCount: 48	
Pb Free Product: Yes	

Product Weight (grams):0.5Manufacturer:Intel CorporationRevision Date:4/25/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

* The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound	1260
Nickel	Electrical Interconnect	IC Lead	7360

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 48, Product Code Name JS28F320 (18mm x 12mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.



ISOP	
Thin Small Outline Package	
PinCount: 56	
Pb Free Product: Yes	

Product Weight (grams):0.6Manufacturer:Intel CorporationRevision Date:4/25/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

* Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)

* Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

* The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound	3720
Nickel	Electrical Interconnect	IC Lead	4280

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: TSOP 56, Product Code Name JS28F640 (18mm x 14mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.