Intel AppUpSM Small Business Service Built on the Intel® Hybrid Cloud Platform User Guide – GFI WebMonitor 2011

By default, GFI WebMonitor 2011 Application Installation occurs while its services run on the local system account. WebMonitor utilizes the following three services:

- GFI Proxy
- GFI WebMonitor
- GFI WebMonitor Attendant Service

It is advisable to run these services as Administrator. Instructions for initializing the three services are here:

- 1. Go to services.msc (Start \rightarrow Run \rightarrow services.msc). All three services will be listed.
- 2. Right click on 'GFI Proxy' service to launch Properties.

Q, Services						X
File Action View Help						
(= =) 💼 🗈 💩 💩 🖬 🕨 🔳	II ID					
Services (Local)						
GFI Proxy	Name 🔺	Description	Status	Startup Type	Log On As	
,	GFI Proxy	GFI WebM	Started	Automatic	Local System	
Stop the service	🔍 GFI WebMonitor	Worker ser	Started	Automatic	Local System	
Restart the service	GFI WebMonitor Attendant Service	GFI WebM	Started	Automatic	Local System	

File Action View	Help							
	🕰 📾 🖬 🖬 🖬 🖬	IÞ						
🔍 Services (Local)	🔕 Services (Local)							
	GFI Proxy	Name +		Description	Status	Startup Type	Log On As	
	Stop the service	GFI Proxy Properti	ies (Local Computer)		2	Automatic	Local System	
	Restart the service	General Log On	Recovery Dependencies			Automatic	Local System	
						Automatic	Local System	
	GFI WebMonitor Proxy Agent Se	Service name:	GEIProxy			Manual	Local System	
		Display name:	GFI Proxy			Automatic	Local System	
		Description	GFI WebMonitor Proxy Agent S	Service	-	Manual	Local System	
		Description.	I		-	Disabled	Local System	
		-				Automatic	Local System	
		C:\Program Eles (e: \v96\\GEI\WebMonitor\GEIPmor	eve	Disabled	Network S		
		o. o rogram mos (Automatic (D	Network S	
		Startup type:	Automatic		-	Manual	Local System	
		Halo ma configure				Automatic	Network S	
		Help the contrigue	service startup options.			Manual	Local System	
		Service status:	Started			Manual	Local System	
		and the second second second				Manual	Local Service	
		Start	Stop Pause	e Re	sume	Manual	Local System	
		You can specify ti	he start parameters that apply wh	nen vou start the	service	Manual	Local System	
		from here.				Disabled	Local System	
		Start parameters	-			Manual	Local System	
		ator palorieroa.	1			Manual	Network S	
						Manual	Local System	
		Maria and an and a	OK	Cancel	Apple	Automatic	Local Service	
					CARBON .	Automatic	Network S	

Copyright © 2011 Intel Corporation. All rights reserved. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries.

3. Click on 'Log On' tab

Q Services							_8>		
File Action View	Help								
	0 💿 🚺 📷 🕨 🖩 🛛	IÞ							
G Services (Local)	🗞 Services (Local)								
	GFI Proxy	Name *	Description Si	tatus	Startup Type	Log On As			
	Stop the service	GFI Proxy Properties (Local Computer)		×	Automatic	Local System			
	Restart the service	General Log On Recovery Dependencies			Automatic	Local System			
	Description	Log on as:		1	Automatic	Local System			
	GFI WebMonitor Proxy Agent Se	Local System account Adda account			Manual Manual	Local System Local System			
					Automatic	Local System			
				- 1	Manual	Clocal System			
		C This account:	Browse		Automatic	Local System			
		Password			Disabled	Network S			
					Automatic (D	Network S			
					Manual	Local Service			
		Help me configure user account log on options.		Automatic	Network S				
		You can enable or disable this service for the hardware profiles listed below:			Manual	Local System			
		Hardware Profile	Service		Manual	Local System			
		Undocked Profile	Enabled		Manual	Local Service			
					Manual	Local System			
					Manual	Local System			
					Dicabled	Local System			
					Magual	Local System			
		Tre blashanting using hardware confiles		Manual	Network S				
					Manual	Local System			
			1		Automatic	Local Service			
		OK	Cancel A	pply	Automatic	Network S			
		Wetwork Store Interface Service	Ins servic 5	tarted	Automatic	Local Service			

- 4. Click on 'This account'
- 5. Add Account Name: Administrator
- 6. Add password, Click on 'Apply' button

		15						
vices (Local)	Services (Local)							
GEL	Proxy	Name +		Description	Status	Startup Type	Log On As	
				1.2		Automatic	Local System	
Stop	the service	GFI Proxy Properties (L	ocal Computer)			Automatic	Local System	
Resta	art the service	General Log On Reci	verv Dependencies			Automatic	Local System	
		Transie I.				Automatic	Local System	
Descr	ription:	Log on as:				Manual	Local System	
GFIV	VebMonitor Proxy Agent Se	C Local Sustan account				Manual	Local System	
		Local System account			Automatic	Local System		
		L Million scialogilo	encios vite destrup			Manual	Local System	
		This account:	Administrator	Bro	wse	Disabled	Local System	
		Password:			Automatic	Local System		
					Disabled	Network S		
					Automatic (D	Network S		
		Contim password:			Manual	Local Service		
		Help me configure user account log on options.			Manual	Local System		
		Yes and the set of the first sector for the band sector Physical balance				Automatic	Network S	
		Tou can enable or disa	ple this service for the ha	dware promes list	ed below:	Manual	Local System	
		Hardware Profile		Service		Manual	Local System	
		Undocked Profile		Enabled		Manual	Local Service	
						Manual	Local System	
		Manua					Local System	
						Displad	Local System	
					Magual	Local Service		
	To block and a bight and and the Dealer I Dealer I			Manual	Local System			
	Indubieshooting Using h	aruware profiles.	nous D	00010	Manual	Local Sustem		
						Automatic	Local Service	
			OK	Cancel	Apply	Automatic	Network S	
		STATISTICS STA	re interrace service	108 580.02	W	Automatic	Local Service	

Copyright © 2011 Intel Corporation. All rights reserved. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries.

Q Services						X
File Action View		IN				
Services (Local)	Services (Local)					
	GFI Proxy	Name 🔶	Description Status	Startup Type	Log On As	<u> </u>
	Stop the service Restart the service Description: GFI WebMonitor Proxy Agent Se	GFI Proxy Properties (Local Computer) General Log On Recovery Dependencies Log on as: Local System account Allow service to interact with desktop This account: Administrator Password: Fervices Services The new logon name will not take the service. Troubleshooting using hardware profiles. Troubleshooting using hardware profiles. 	Browse e effect until you stop and resta Source State Enable Disable	Automatic Automatic Automatic Automatic Manual Manual Manual Disabled al al	Vadminist Local System Local System	
		OK	Cancel Apply	Automatic Automatic Automatic	Local System Local Service Network S Local Service	
		Q: Offline Files	The Offline	Disabled	Local System	

7. Restart GFI Proxy service.

Q Services						X
File Action View Help						
Services (Local)						
Service Control	×	Description	Status	Startup Type	Log On As	
Windows is attempting to stop the following equipe on Local Computer		GFI WebM	Started	Automatic	.\Administ	
windows is altempting to stop the following service on cocal computer	fonitor	Worker ser	Started	Automatic	Local System	
GFI Proxy	fonitor Attendant Service	GFI WebM	Started	Automatic	Local System	
.0	icy Client	The servic	Started	Automatic	Local System	
	y and Certificate Managem	Provides X		Manual	Local System	
	terface Device Access	Enables ge		Manual	Local System	
	uthIP IPsec Keying Modules	The IKEEX	Started	Automatic	Local System	
Close	e Services Detection	Enables us		Manual	Local System	
	errer Egnnection Sharing (ICS)	Provides n		Disabled	Local System	
Q IP f	Helper	Provides a	Started	Automatic	Local System	
Q, IPs	ec Policy Agent	Internet Pr		Disabled	Network S	
0.00	Day for breach and Transition C	Constants	Charles	Automatic (D	Mahurada C	

Follow above steps to activate remaining two services: GFI WebMonitor & GFI WebMonitor Attendant Service.

Copyright © 2011 Intel Corporation. All rights reserved. Intel and the Intel logo are trademarks of Intel Corporation in the U.S. and/or other countries.